

Product datasheet for RC212181L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PPAR gamma (PPARG) (NM_138711) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PPAR gamma (PPARG) (NM 138711) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: PPAR gamma

Synonyms: CIMT1; GLM1; NR1C3; PPARG1; PPARG2; PPARG5; PPARgamma

Mammalian Cell

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone


Puromycin


Sequence:

The ORF insert of this clone is exactly the same as(RC212181).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_138711

ORF Size: 1431 bp



PPAR gamma (PPARG) (NM_138711) Human Tagged Lenti ORF Clone - RC212181L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 138711.3</u>

 RefSeq Size:
 1919 bp

 RefSeq ORF:
 1428 bp

 Locus ID:
 5468

 UniProt ID:
 P37231

Cytogenetics: 3p25.2

Domains: HOLl, zf-C4

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

Protein Pathways: Huntington's disease, Pathways in cancer, PPAR signaling pathway, Thyroid cancer

MW: 54.7 kDa


Gene Summary: This gene encodes a member of the peroxisome proliferator-activated receptor (PPAR)

subfamily of nuclear receptors. PPARs form heterodimers with retinoid X receptors (RXRs) and these heterodimers regulate transcription of various genes. Three subtypes of PPARs are known: PPAR-alpha, PPAR-delta, and PPAR-gamma. The protein encoded by this gene is PPAR-gamma and is a regulator of adipocyte differentiation. Additionally, PPAR-gamma has been implicated in the pathology of numerous diseases including obesity, diabetes, atherosclerosis and cancer. Alternatively spliced transcript variants that encode different isoforms have been

described. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC212181L3