

## Product datasheet for **RC212382**

### DAP5 (EIF4G2) (NM\_001042559) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	DAP5 (EIF4G2) (NM_001042559) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	DAP5
Synonyms:	AAG1; DAP5; NAT1; P97
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC212382 representing NM\_001042559  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GCGATCGCC**

GTGGAGAGTGCATTGCAGAAGGGGTGCTTCTCGTTTCAGTGCTTCTTCGGGCGGAGGAGGAAGTAGGG  
 GTGCACCTCAGCACTATCCCAAGACTGCTGGCAACAGCGAGTTCCTGGGAAAACCCAGGGCAAAACGC  
 TCAGAAATGGATTCTGCACGAAGCACTAGACGAGATGACAACCTCCGCAGCAAACAACCTCCGCAAACGAA  
 AAAGAACGACATGATGCAATCTTCAGGAAAGTAAGAGGCATACTAAATAAGCTTACTCTGAAAAGTTTG  
 ACAAGCTATGCCTTGAGCTCCTCAATGTGGGTGTAGAGTCTAACTCATCCTTAAAGGGGTCACTACTGCT  
 GATTGTGGACAAAGCCCTAGAAGAGCCAAAGTATAGTCACTGTATGCTCAGCTATGTCTGCGATTGGCA  
 GAAGATGCACCAAACCTTTGATGGCCAGCAGAGGGTCAACCAGGACAGAAGCAAAGCACCACATTCA  
 GACGCTCCTAATTTCCAAATACAAGATGAATTTGAAAACCGAACTAGAAATGTTGATGTCTATGATAA  
 GCGTGAAAATCCCCTCCTCCCGAGGAGGAGAACAGAGAGCCATTGCTAAGATCAAGATGTTGGGAAAC  
 ATCAAATTCATTGGAGAGCTTGGCAAGCTTGATCTTATCACGAATCTATCCTTCATAAGTGCATCAAAA  
 CACTTTTGGAAAAGAAGAGAGTCCAACCAAGATATGGGAGAGGATTTGGAGTGCCTCTGTAGAT  
 AATGAGGACAGTGGGACCTAGATTAGACCATGAACGAGCCAAGTCTTAATGGATCAGTACTTTGCCCGA  
 ATGTGCTCCTTGATGTTAAGTAAGGAATTGCCAGCAAGGATTCGTTTCTGCTGCAGGATACCGTAGAGT  
 TGCGAGAACACCATTTGGTTCTCGCAAGGCTTTTCTTGACAATGGACCAAGACGATCAATCAAATTCG  
 TCAAGATGCAGTAAAAGATCTAGGGGTGTTATTCCTGCTCCTATGGCTCAAGGGATGAGAAGTGACTTC  
 TTTCTGGAGGGACCGTTCATGCCACCCAGGATGAAAATGGATAGGGACCCACTTGGAGGACTTTCGATA  
 TGTTTGGACAAAATGCCAGGTAGCGGAATTGGTACTGGTCCAGGATTTCCAGGATAGATTTTCAACCCAC  
 CATGGGACGTCATCGTTCAAATCAACTCTTCAATGGCCATGGGGACACATCATGCCTCCCACACAATCG  
 CAGTTTGGAGAGATGGGAGGCAAGTTTATGAAAAGCCAGATTAGCCTGAGGCCTGCTCAGTCGTTCTTAA  
 TGAATAAAAATCAAGTGCCAAAGCTTCAGCCCCAGATAACTATGATTCTCCTAGTGCACAACCACCACG  
 CACTCAAACACCACCTCTGGGACAGACCTCAGCTTGGTCTCAAACTAATCCACCGCTTATCCAGGAA  
 AAGCCTGCCAAGACCAGCAAAAAGCCACCACCGTCAAAGGAAGAACTCCTTAACTAACTGAACTGTTG  
 TGACTGAATATCTAAATAGTGGAAATGCAAATGAGGCTGTCAATGGTGAAGAGAAATGAGGGCTCTTAA  
 AACTTTCTTCTGAGATGTTAAGCAAAGTAATCATCCTGTCACTAGATAGAAGCGATGAAGATAAAGAA  
 AAAGCAAGTTCTTTGATCAGTTTACTCAAACAGGAAGGGATAGCCACAAGTGACAACCTTTCATGCAGGCTT  
 TCCTGAATGTATTGGACCAGTGTCCCAAACCTGGAGGTTGACATCCCTTTGGTGAAATCCTATTTAGCACA  
 GTTTGCAGCTCGTGCCATCATTTAGAGCTGGTGAACATTTTCCAGAACTAGCTCAACCCTAGAAAAGTGGC  
 ACCCATTTTCTCTTCTTCTACTTTGTCTTCAGCAGTTAGCTAAATTACAAGATCGAGAATGGTTAACAG  
 AACTTTTTCAACAAAGCAAGGTCAATAAGCAGAAAATGCTCCAGAAAATGATCAGAATAAGGACCCGAT  
 GTTGGAGATTTTGAAGGAAAGGGACTGAGTTTCTTATCCCACTCCTCAAATGGAGAAGGAACTGTTG  
 AAGCAAATAAAGTTGGATCCATCCCCTCAAACCATATAAATGGATTAAGATAACATCTCTCCCAAAC  
 TTCATGTAGATAAAGGATTTGTGAACATCTTAATGACTAGCTTCTTACAGTACATTTCTAGTGAAGTAAA  
 CCCCCCAGCGATGAAACAGATTCATCCTGCTCCTTCCAAAGAACAGTTAGAGCAGGAAAAACAATA  
 CTACTATCTTTCAAGCCAGTAATGCAGAAAATTTCTTATGATCACGTTGATCTACAAGTCAGTGCCCTGT  
 ATGCTCTCCAGGTGCACTGCTATAACAGCAACTTCCCAAAGGCATGTTACTTTCGTTTTTTGTGCACTT  
 CTATGACATGAAATATTGAAGAAGAAGCTTTCTTGGCTTGGAAAGAAGATATAACCCAAGAGTTTCCG  
 GGAAAAGGCAAGGCTTTGTTCCAGGTGAATCAGTGGCTAACCTGGTTAGAAAAGTCTGAAGAAGAAGAAAT  
 CAGAGGAAGAAGCTGAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC212382 representing NM\_001042559  
 Red=Cloning site Green=Tags(s)


VESAI AEGGASRF SASSGGGSRGAPQHYPKTAGNSEFLGKTPGQNAQKWIPARSTRRDDNSAANNSANE  
 KERHDAIFRKVRGILNKLTPKFDKLCLELLNVGVESKILKGVILLIVDKALEEPKYSSLYAQLCLRLA  
 EDAPNFDGPA AEGQPQKQSTTFRRLI SKLQDEFENRTRNVVDYDKRENPLPEEEEEQRAIAKIKMLGN  
 IKFIGELGKLDL IHSILHKCIKTLLEKKKRVQLKDMGEDLECLCQIMRTVGPRLDHERAKSLMDQYFAR  
 MCSLMLSKELPARIRFLLQDVELREHHWVPRKAFLDNGPKTINQIRQDAVKDLGVFIPAPMAQGMRSDF  
 FLEGPFPMPRMKMDRDLGGLADMFGQMPGSGIGTGPGVIQDRFSPTMGRHRSNQLFNGHGHIMPPTQS  
 QFGEMGGKFMKSQISLRPAQSFLMNKNQVPKLQPQITMIPPSAQPPRTQTPLGQTPQLGLKTNPPLIQE  
 KPAKTSKKPPPSKEELLKLTETVVTEYLNNGNANEAVNGVREMRAPKHFLEMLSKVILSLDRSDEDKE  
 KASSLISLLKQEGIATSDNFMQAFNLVLDQCPKLEVDIPLVKSILAQAARAIISELVSISELAQPLESG  
 THFPLFLLCLQLAKLQDREWL TELFQQSKVNMQKMLPEIDQNKDRMLEILEGKLSFLFPLLKLEKELL  
 KQIKLDPSPQTIYKWIKNISPKLHVDKGFVNILMTSFLQYISSEVNPPSDETDSSAPSKEQLEQEKQL  
 LLSFKPVMQKFLHDHVDLQVSALYALQVHCYNSNFPKGMLLRFFVHFYDMEIEEEEAFLAWKEDITQEPF  
 GK GKALFQV NQWL TWLET AEEEESEEEAD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:


Sgfl-MluI

Cloning Scheme:



<b>ACCN:</b>	NM_001042559
<b>ORF Size:</b>	2607 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001042559.2</a> , <a href="#">NP_001036024.3</a>
<b>RefSeq Size:</b>	3797 bp
<b>RefSeq ORF:</b>	2610 bp
<b>Locus ID:</b>	1982
<b>UniProt ID:</b>	<a href="#">P78344</a>
<b>Cytogenetics:</b>	11p15.4
<b>Protein Families:</b>	Transcription Factors
<b>Protein Pathways:</b>	Viral myocarditis
<b>MW:</b>	98.1 kDa
<b>Gene Summary:</b>	Translation initiation is mediated by specific recognition of the cap structure by eukaryotic translation initiation factor 4F (eIF4F), which is a cap binding protein complex that consists of three subunits: eIF4A, eIF4E and eIF4G. The protein encoded by this gene shares similarity with the C-terminal region of eIF4G that contains the binding sites for eIF4A and eIF3; eIF4G, in addition, contains a binding site for eIF4E at the N-terminus. Unlike eIF4G, which supports cap-dependent and independent translation, this gene product functions as a general repressor of translation by forming translationally inactive complexes. In vitro and in vivo studies indicate that translation of this mRNA initiates exclusively at a non-AUG (GUG) codon. Alternatively spliced transcript variants encoding different isoforms of this gene have been described. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC212382