

## Product datasheet for RC212400L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## WFDC10A (NM\_080753) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** WFDC10A (NM\_080753) Human Tagged ORF Clone Lentiviral Particle

Symbol: WFDC10A

**Synonyms:** C20orf146; dJ688G8.3; WAP10

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 080753

ORF Size: 237 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC212400).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. <u>More info</u>

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 080753.2

 RefSeq Size:
 482 bp

 RefSeq ORF:
 240 bp

 Locus ID:
 140832

 UniProt ID:
 Q9H1F0

 Cytogenetics:
 20q13.12

**Protein Families:** Secreted Protein, Transmembrane

**MW:** 8.9 kDa







## **Gene Summary:**

This gene encodes a member of the WAP-type four-disulfide core (WFDC) domain family. The WFDC domain, or WAP signature motif, contains eight cysteines forming four disulfide bonds at the core of the protein, and functions as a protease inhibitor. Most WFDC gene members are localized to chromosome 20q12-q13 in two clusters: centromeric and telomeric. This gene belongs to the telomeric cluster. [provided by RefSeq, Jul 2008]