OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC212579

FGFR1 (NM_023107) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGFR1 (NM_023107) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	FGFR1
Synonyms:	BFGFR; CD331; CEK; FGFBR; FLG; FLJ99988; FLT2; HBGFR; KAL2; N-SAM; OGD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence:

```
>RC212579 representing NM_023107
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGTGGAGCTGGAAGTGCCTCCTCTTCTGGGCTGTGCTGGTCACAGCCACACTCTGCACCGCTAGGCCGT
CCCCGACCTTGCCTGAACAAGATGCTCTCCCCTCCTCGGAGGATGATGATGATGATGATGACTCCTCTTC
AGAGGAGAAAGAAACAGATAACACCAAACCAAACCGTATGCCCGTAGCTCCATATTGGACATCCCCAGAA
AAGATGGAAAAGAAATTGCATGCAGTGCCGGCTGCCAAGACAGTGAAGTTCAAATGCCCTTCCAGTGGGA
CCCCAAACCCCACACTGCGCTGGTTGAAAAATGGCAAAGAATTCAAACCTGACCACAGAATTGGAGGCTA
CAAGGTCCGTTATGCCACCTGGAGCATCATAATGGACTCTGTGGTGCCCTCTGACAAGGGCAACTACACC
TGCATTGTGGAGAATGAGTACGGCAGCATCAACCACACATACCAGCTGGATGTCGTGGAGCGGTCCCCTC
ACCGGCCCATCCTGCAAGCAGGGTTGCCCGCCAACAAAACAGTGGCCCTGGGTAGCAACGTGGAGTTCAT
GTGTAAGGTGTACAGTGACCCGCAGCCGCACATCCAGTGGCTAAAGCACATCGAGGTGAATGGGAGCAAG
ATTGGCCCAGACAACCTGCCTTATGTCCAGATCTTGAAGGTAATCATGGCACCAGTCTTCGTGGGCCAGT
CTACTGGGAAGGAGACCACTGTCTCGGGGGCTCAAGTTCCTGTGGGCAGGCTCAGTTGCCCCCGAATGGG
ATCATTCCTCACGCTTCAGGCACACACACTCCATCTCAGTAGGGATCTAGCCACATCCCCCAGGACTAGT
AACAGAGGTCACAAAGTGGAGGTGAGCTGGGAACAGAGGGCTGCAGGGATGGGTGGTGCTGGTCTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA
```

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

View online »

Protein Sequence:

```
>RC212579 representing NM_023107
Red=Cloning site Green=Tags(s)

MWSWKCLLFWAVLVTATLCTARPSPTLPEQDALPSSEDDDDDDDSSSEEKETDNTKPNRMPVAPYWTSPE
KMEKKLHAVPAAKTVKFKCPSSGTPNPTLRWLKNGKEFKPDHRIGGYKVRYATWSIIMDSVVPSDKGNYT
CIVENEYGSINHTYQLDVVERSPHRPILQAGLPANKTVALGSNVEFMCKVYSDPQPHIQWLKHIEVNGSK
IGPDNLPYVQILKVIMAPVFVGQSTGKETTVSGAQVPVGRLSCPRMGSFLTLQAHTLHLSRDLATSPRTS
NRGHKVEVSWEQRAAGMGGAGL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV
```

Chromatograms: https://cdn.origene.com/chromatograms/mg3278_f06.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_023107

ORF Size: 906 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_023107.2, NP_075595.1
RefSeq Size:	2590 bp
RefSeq ORF:	908 bp
Locus ID:	2260
Cytogenetics:	8p11.23
Domains:	ig, IGc2, IG
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Adherens junction, MAPK signaling pathway, Melanoma, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton
MW:	30.9 kDa
Gene Summary:	The protein encoded by this gene is a member of the fibroblast growth factor receptor (FGFR) family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds both acidic and basic fibroblast growth factors and is involved in limb induction. Mutations in this gene have been associated with Pfeiffer syndrome, Jackson-Weiss syndrome, Antley-Bixler syndrome, osteoglophonic dysplasia, and autosomal dominant Kallmann syndrome 2. Chromosomal aberrations involving this gene are associated with stem cell myeloproliferative disorder and stem cell leukemia lymphoma syndrome. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:



Circular map for RC212579



Western blot validation of overexpression lysate (Cat# [LY411518]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC212579 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified FGFR1 protein (Cat# [TP312579]). The protein was produced from HEK293T cells transfected with FGFR1 cDNA clone (Cat# RC212579) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US