

Product datasheet for RC212653L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Acid Phosphatase (ACP1) (NM 004300) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Acid Phosphatase (ACP1) (NM_004300) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Acid Phosphatase

Synonyms: HAAP; LMW-PTP; LMWPTP

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC212653).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_004300

ORF Size: 474 bp





Acid Phosphatase (ACP1) (NM_004300) Human Tagged Lenti ORF Clone - RC212653L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004300.2</u>

RefSeq Size: 1549 bp RefSeq ORF: 477 bp

Locus ID: 52

UniProt ID: P24666

Cytogenetics: 2p25.3

Domains: LMWPc

Protein Families: Druggable Genome, Phosphatase, Transmembrane

Protein Pathways: Adherens junction, Riboflavin metabolism

MW: 17.9 kDa

Gene Summary: The product of this gene belongs to the phosphotyrosine protein phosphatase family of

proteins. It functions as an acid phosphatase and a protein tyrosine phosphatase by

hydrolyzing protein tyrosine phosphate to protein tyrosine and orthophosphate. This enzyme also hydrolyzes orthophosphoric monoesters to alcohol and orthophosphate. This gene is genetically polymorphic, and three common alleles segregating at the corresponding locus give rise to six phenotypes. Each allele appears to encode at least two electrophoretically


different isozymes, Bf and Bs, which are produced in allele-specific ratios. Multiple

alternatively spliced transcript variants encoding distinct isoforms have been identified for


this gene. [provided by RefSeq, Aug 2008]



Product images:



Circular map for RC212653L1



Double digestion of RC212653L1 using Sgfl and Mlul