

Product datasheet for RC212786L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RON (MST1R) (NM_002447) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RON (MST1R) (NM_002447) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: RON

Synonyms: CD136; CDw136; NPCA3; PTK8; RON; SEA

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone

Sequence:

The ORF insert of this clone is exactly the same as(RC212786).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002447

ORF Size: 4203 bp





RON (MST1R) (NM_002447) Human Tagged Lenti ORF Clone - RC212786L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002447.1</u>

RefSeq Size:4541 bpRefSeq ORF:4203 bpLocus ID:4486

UniProt ID: Q04912
Cytogenetics: 3p21.31

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase, Transmembrane

MW: 152.37 kDa


Gene Summary: This gene encodes a cell surface receptor for macrophage-stimulating protein (MSP) with

tyrosine kinase activity. The mature form of this protein is a heterodimer of disulfide-linked alpha and beta subunits, generated by proteolytic cleavage of a single-chain precursor. The beta subunit undergoes tyrosine phosphorylation upon stimulation by MSP. This protein is expressed on the ciliated epithelia of the mucociliary transport apparatus of the lung, and together with MSP, thought to be involved in host defense. Alternative splicing generates multiple transcript variants encoding different isoforms that may undergo similar proteolytic


processing. [provided by RefSeq, Jan 2016]



Product images:



Circular map for RC212786L4



Double digestion of RC212786L4 using Sgfl and Mlul $\,$