

## Product datasheet for RC212820L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## KCNJ1 (NM 153765) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: KCNI1 (NM 153765) Human Tagged ORF Clone Lentiviral Particle

Symbol: KCNJ<sup>\*</sup>

Synonyms: KIR1.1; ROMK; ROMK1

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_153765 **ORF Size:** 1116 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC212820).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 153765.1</u>, <u>NP 722449.2</u>

 RefSeq Size:
 2579 bp

 RefSeq ORF:
 1170 bp

 Locus ID:
 3758

 UniProt ID:
 P48048

 Cytogenetics:
 11q24.3

**Protein Families:** Druggable Genome, Ion Channels: Potassium, Transmembrane

MW: 42.5 kDa







## **Gene Summary:**

Potassium channels are present in most mammalian cells, where they participate in a wide range of physiologic responses. The protein encoded by this gene is an integral membrane protein and inward-rectifier type potassium channel. It is activated by internal ATP and probably plays an important role in potassium homeostasis. The encoded protein has a greater tendency to allow potassium to flow into a cell rather than out of a cell. Mutations in this gene have been associated with antenatal Bartter syndrome, which is characterized by salt wasting, hypokalemic alkalosis, hypercalciuria, and low blood pressure. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]