

Product datasheet for RC212851L2

LYN (NM_002350) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: LYN (NM_002350) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: LYN

Synonyms: JTK8; p53Lyn; p56Lyn

Mammalian Cell None

Selection:

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC212851).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_002350

ORF Size: 1536 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

Cytogenetics:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 002350.1</u>

 RefSeq Size:
 2298 bp

 RefSeq ORF:
 1539 bp

 Locus ID:
 4067

 UniProt ID:
 P07948

Domains:pkinase, SH2, TyrKc, SH3, S_TKcProtein Families:Druggable Genome, Protein Kinase

8q12.1

Protein Pathways: B cell receptor signaling pathway, Chemokine signaling pathway, Epithelial cell signaling in

Helicobacter pylori infection, Fc epsilon RI signaling pathway, Fc gamma R-mediated

phagocytosis, Long-term depression


MW: 58.4 kDa

Gene Summary: This gene encodes a tyrosine protein kinase, which maybe involved in the regulation of mast


cell degranulation, and erythroid differentiation. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2011]



Product images:



Circular map for RC212851L2



Double digestion of RC212851L2 using Sgfl and Mlul $\,$