

Product datasheet for RC212854L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TRAF3 (NM_145726) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TRAF3 (NM_145726) Human Tagged ORF Clone Lentiviral Particle

Symbol: TRAF3

Synonyms: CAP-1; CAP1; CD40bp; CRAF1; IIAE5; LAP1; RNF118

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_145726 **ORF Size:** 1629 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC212854).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 145726.1, NP 663778.1

 RefSeq Size:
 2492 bp

 RefSeq ORF:
 1632 bp

 Locus ID:
 7187

 UniProt ID:
 Q13114

 Cytogenetics:
 14q32.32

Protein Families: Druggable Genome





TRAF3 (NM_145726) Human Tagged ORF Clone Lentiviral Particle - RC212854L4V

Protein Pathways: Pathways in cancer, RIG-I-like receptor signaling pathway, Small cell lung cancer, Toll-like

receptor signaling pathway

MW: 61.6 kDa

Gene Summary: The protein encoded by this gene is a member of the TNF receptor associated factor (TRAF)

protein family. TRAF proteins associate with, and mediate the signal transduction from, members of the TNF receptor (TNFR) superfamily. This protein participates in the signal transduction of CD40, a TNFR family member important for the activation of the immune response. This protein is found to be a critical component of the lymphotoxin-beta receptor (LTbetaR) signaling complex, which induces NF-kappaB activation and cell death initiated by LTbeta ligation. Epstein-Barr virus encoded latent infection membrane protein-1 (LMP1) can interact with this and several other members of the TRAF family, which may be essential for the oncogenic effects of LMP1. The protein also plays a role in the regulation of antiviral response. Mutations in this are associated with Encephalopathy, acute, infection-induced,

herpes-specific 5. [provided by RefSeq, Jul 2020]