

Product datasheet for RC212855L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CYP26A1 (NM_057157) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CYP26A1 (NM_057157) Human Tagged ORF Clone Lentiviral Particle

Symbol: CYP26A1

Synonyms: CP26; CYP26; P450RAI; P450RAI1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_057157 **ORF Size:** 1284 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC212855).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 057157.1, NP 476498.1

 RefSeq Size:
 2246 bp

 RefSeq ORF:
 1287 bp

 Locus ID:
 1592

 UniProt ID:
 043174

 Cytogenetics:
 10q23.33

Protein Families: Druggable Genome, P450, Transmembrane

Protein Pathways: Retinol metabolism





ORIGENE

MW: 48.4 kDa

Gene Summary: This ge

This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This endoplasmic reticulum protein acts on retinoids, including all-trans-retinoic acid (RA), with both 4-hydroxylation and 18-hydroxylation activities. This enzyme regulates the cellular level of retinoic acid which is involved in regulation of gene expression in both embryonic and adult tissues. Two alternatively spliced transcript variants of this gene, which encode the distinct isoforms, have been reported. [provided by RefSeq, Jul 2008]