

Product datasheet for **RC212969L4V**

TGIF (TGIF1) (NM_003244) Human Tagged ORF Clone Lentiviral Particle

Product data:

| | |
|---------------------------|--|
| Product Type: | Lentiviral Particles |
| Product Name: | TGIF (TGIF1) (NM_003244) Human Tagged ORF Clone Lentiviral Particle |
| Symbol: | TGIF |
| Synonyms: | HPE4; TGIF |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-mGFP-P2A-Puro (PS100093) |
| Tag: | mGFP |
| ACCN: | NM_003244 |
| ORF Size: | 816 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC212969). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | NM_003244.2 |
| RefSeq Size: | 1618 bp |
| RefSeq ORF: | 819 bp |
| Locus ID: | 7050 |
| UniProt ID: | Q15583 |
| Cytogenetics: | 18p11.31 |
| Domains: | homeobox |



[View online »](#)

| | |
|--------------------------|---|
| Protein Families: | Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - TGFb/BMP signaling pathway, Transcription Factors |
| MW: | 29.6 kDa |
| Gene Summary: | <p>The protein encoded by this gene is a member of the three-amino acid loop extension (TALE) superclass of atypical homeodomains. TALE homeobox proteins are highly conserved transcription regulators. This particular homeodomain binds to a previously characterized retinoid X receptor responsive element from the cellular retinol-binding protein II promoter. In addition to its role in inhibiting 9-cis-retinoic acid-dependent RXR alpha transcription activation of the retinoic acid responsive element, the protein is an active transcriptional co-repressor of SMAD2 and may participate in the transmission of nuclear signals during development and in the adult. Mutations in this gene are associated with holoprosencephaly type 4, which is a structural anomaly of the brain. Alternative splicing has been observed at this locus and multiple splice variants encoding distinct isoforms are described. [provided by RefSeq, Jul 2013]</p> |