

Product datasheet for RC213095

UBE2H (NM 182697) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UBE2H (NM_182697) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: UBE2H

Synonyms: E2-20K; GID3; UBC8; UBCH; UBCH2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC213095 representing NM_182697

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCATCTCCCAGTCCGGGCAAGAGGCGGATGGACACGGACGTCGTCAAGCTCATCGAGAGTAAACATG
AGGTTACGATCCTGGGAGGACTTAATGAATTTGTAGTGAAGTTTTATGGACCACAAGGAACACCATATGA
AGGCGGAGTATGGAAAGTTAGAGTGGACCTACCTGATAAATACCCTTTCAAATCTCCATCTATAGATCTT
ACCAATATATTTGAGTCCTTCCTGCCTCAGTTATTGGCCTATCCTAACCCCATAGATCCTCCAATGGTG
ACGCTGCAGCCATGTACCTCCACCGACCAGAAGAATACAAGCAGAAAATTAAAGAGTACATCCAGAAATA
CGCCACGGAGGAGGAGGCCCTGAAAGAACAGGAAGAGGGTACCGGGGGACAGCTCATCGGAGAGCTCTATGTCT
GACTTTTCCGAAGATGAGGCCCAGGATATGGAGTTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC213095 representing NM_182697

Red=Cloning site Green=Tags(s)

MSSPSPGKRRMDTDVVKLIESKHEVTILGGLNEFVVKFYGPQGTPYEGGVWKVRVDLPDKYPFKSPSIDL TNIFESFLPQLLAYPNPIDPLNGDAAAMYLHRPEEYKQKIKEYIQKYATEEALKEQEEGTGDSSSESSMS

DFSEDEAQDMEL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1452 e04.zip





OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com **Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_182697

ORF Size: 456 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 182697.3</u>

RefSeq Size: 2635 bp
RefSeq ORF: 459 bp
Locus ID: 7328



 UniProt ID:
 P62256

 Cytogenetics:
 7q32.2

Protein Pathways: Ubiquitin mediated proteolysis


MW: 17 kDa

Gene Summary: The modification of proteins with ubiquitin is an important cellular mechanism for targeting


abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. The encoded protein sequence is 100% identical to the mouse homolog and 98% identical to the frog and zebrafish homologs. Three alternatively spliced transcript variants have been found for this gene and they encode distinct isoforms.

[provided by RefSeq, Feb 2011]

Product images:




Circular map for RC213095



Western blot validation of overexpression lysate (Cat# [LY405412]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC213095 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified UBE2H protein (Cat# [TP313095]). The protein was produced from HEK293T cells transfected with UBE2H cDNA clone (Cat# RC213095) using MegaTran 2.0 (Cat# [TT210002]).