

Product datasheet for RC213112

PI 3 Kinase catalytic subunit alpha (PIK3CA) (NM_006218) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PI 3 Kinase catalytic subunit alpha (PIK3CA) (NM_006218) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PI 3 Kinase catalytic subunit alpha
Synonyms:	CLAPO; CLOVE; CWS5; MCAP; MCM; MCMTC; p110-alpha; PI3K; PI3K-alpha
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC213112 representing NM_006218 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC

ATGCCCTCCACGACCATCATCAGGTGAAGTGTGGGGCATCCACTTGATGCCCCCAAGAATCCTAGTAGAAT
GTTTACTACCAAATGGAATGATAGTGACTTTAGAATGCCTCCGTGAGGCTACATTAATAACCATAAAGCA
TGAAGTATTTAAAGAAGCAAGAAAATACCCCTCCATCAACTTCTCAAGATGAATCTTCTTACATTTTC
GTAAGTGTACTCAAGAAGCAGAAAGGGAAGAATTTTTGATGAAACAAGACGACTTTGTGACCTTCGGC
TTTTTCAACCCTTTTTAAAAGTAATTGAACCAGTAGGCAACCGTGAAGAAAAGATCCTCAATCGAGAAAT
TGGTTTTGCTATCGGCATGCCAGTGTGTGAATTTGATATGGTTAAAGATCCAGAAGTACAGGACTCCGA
AGAAATATTCTGAACGTTTGTAAAGAAGCTGTGGATCTTAGGGACCTCAATTCACCTCATAGTAGAGCAA
TGTATGTCTATCCTCAAATGTAGAATCTTACCAGAAATGCCAAAGCACATATAATAAATTAGATAA
AGGGCAAATAATAGTGGTGATCTGGGTAATAGTTTCTCAAATAATGACAAGCAGAAGTACTCTGAAA
ATCAACCATGACTGTGTACCAGAACAAGTAATTGCTGAAGCAATCAGGAAAAAACTCGAAGTATGTTGC
TATCCTCTGAACAACTAAAACCTGTGTTTTAGAATATCAGGGCAAGTATTTTTAAAAGTGTGTGGATG
TGATGAATACTTCTAGAAAAATATCCTCTGAGTCAGTATAAGTATATAAGAAGCTGTATAATGCTTGGG
AGGATGCCCAATTTGATGTTGATGGCTAAAGAAAGCCTTTATTCTCAACTGCCAATGGACTGTTTTACAA
TGCCATCTTATCCAGAGCATTTCACAGCTACACCATATATGAATGGAGAAACATCTACAAAAATCCCT
TTGGGTTATAAATAGTGAAGTCAAGAAATAAAATCTTTGTGCAACCTACGTGAATGTAAATATTCGAGAC
ATTGATAAGATCTATGTTGCAACAGGTATCTACCATGGAGGAGAACCCTTATGTGACAAATGTGAACACTC
AAAGAGTACCTTGTCCAATCCCAGGTGGAATGAATGGCTGAATTATGATATATACATTCCTGATCTTCC
TCGTGCTGCTCGACTTTGCCTTTCCATTTGCTCTGTTAAAGGCCGAAAGGGTCTAAAGAGGAACACTGT
CCATTGGCATGGGAAAATATAAATCTGTTTGAATTACACAGACTCTAGTATCTGAAAAATGGCTTTGA
ATCTTTGGCCAGTACCTCATGGATTAGAAGATTTGCTGAACCCTATTGGTGTACTGGATCAAATCCAAA
TAAAGAACTCCATGCTTAGAGTTGGAGTTGACTGGTTCAGCAGTGTGGTAAAGTCCAGATATGTCA



GTGATTGAAGAGCATGCCAATTGGTCTGTATCCCAGAGAAGCAGGATTTAGCTATTTCCACGCAGGACTGA
 GTAACAGACTAGCTAGAGACAATGAATTAAGGGAAAATGACAAAGAAGCAGCTCAAAGCAATTTCTACACG
 AGATCCTCTCTCTGAAATCACTGAGCAGGAGAAAGATTTTCTATGGAGTCACAGACACTATTGTGTAAC
 ATCCCCGAAATTTACCCAAATTTGCTTCTGTCTGTTAAATGGAATTTCTAGAGATGAAGTAGCCAGATGT
 ATTGCTTGGTAAAAGATTGGCCTCCAATCAAACCTGAACAGGCTATGGAACCTTGACTGTAATTACCC
 AGATCCTATGGTTCGAGGTTTTGCTGTTGCGTGCTTGGAAAAATTTAACAGATGACAACTTTCTCAG
 TATTTAAATTCAGCTAGTACAGGCTCAAAAATGAACAATATTTGGATAACTTGTCTGTGAGATTTTAC
 TGAAGAAAAGCATTGACTAATCAAAGGATTGGGCACTTTTTCTTTTGGCATTAAAAATCTGAGATGCACAA
 TAAAACAGTTAGCCAGAGGTTTGGCCTGCTTTTGGAGTCTATTGTCTGATGTGGGATGTATTTGAAG
 CACCTGAATAGGCAAGTCGAGGCAATGGAAAAGCTCATTAACTTAACTGACATTCTCAAACAGGAGAAGA
 AGGATGAAACACAAAAGGTACAGATGAAGTTTTAGTTGAGCAAATGAGGCGACCAGATTTTATGGATGC
 TCTACAGGCTTTCTGTCTCTCTAAACCTGCTCATCAACTAGGAAACCTCAGGCTTGAAGAGTGTGCA
 ATTATGTCCTCTGCAAAAAGCCACTGTGGTTGAATTGGGAGAACCAGACATCATGTGAGATTACTGT
 TTCAGAACATGAGATCATCTTTAAAAATGGGGATGATTTACGGCAAGATATGCTAACACTTCAAATAT
 TCGTATTATGAAAAATCTGGCAAAATCAAGGCTTGTATCTTGAATGTTACCTTATGGTTGTCTGTCA
 ATCGGTGACTGTGTGGGACTTATTGAGGTGGTGGCAAAATTTCTCAGACTATTATGCAAAATCAGTGCAAA
 GCGGCTTGAAAGGTGCACTGCAGTTCAACAGCCACACACTACATCAGTGGCTCAAAGACAAGAACAAGG
 AGAAATATATGATGCAGCCATTGACCTGTTTACAGGTTTATGTGCTGGTACTGTGTAGCTACCTTCATT
 TTGGGAATTTGGAGATCGTCACAATAGTAACATCATGGTGAAGACGATGGACAACCTGTTTCATATAGATT
 TTGGACTTTTTGGATCACAAGAAGAAAAATTTGGTTATAAACGAGAAGCTGTGCCATTTGTTTTGAC
 ACAGGATTTCTTAATAGTGATTAGTAAAGGAGCCCAAGAATGCACAAAGACAAGAGAATTTGAGAGGTTT
 CAGGAGATGTGTACAAGGCTTATCTAGCTATTCGACAGCATGCCAATCTCTTCAATAATCTTTTCTCAA
 TGATGCTTGGCTCTGGAATGCCAGAACTACAATCTTTTGTGACATTGCATACATTCGAAAGACCCTAGC
 CTTAGATAAAACTGAGCAAGAGGCTTTGGAGTATTTTATGAAACAAATGAATGATGCACATCATGGTGGC
 TGGACAACAAAAATGGATTGGATCTCCACACAATTAACAGCATGCATTGAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC213112 representing NM_006218
 Red=Cloning site Green=Tags(s)

MPPRPSSGELWGIHLMPPRILVECLLPNGMIVTLECLREATLITIKHELKFEARKYPLHQLLQDESSYIF
 VSVTQEAEREFFDETRRLCDLRLFQPFVKVIEPVGNREEKILNREIGFAIGMPVCEFDPMVKDPEVQDFR
 RNILNVCKEAVDLRDLNSPHSRAMYVYPPNVESSPELPHKIYNKLDKGQIIVVIWVIVSPNNDKQKYTLK
 INHDCVPEQVIAEAIRKKTRSMLLSSEQLKLCVLEYQGYILKVCGCDEYFLEKYPLSQYKYIRSCIMLG
 RMPNMLMAKESLYSQLPMDCTMPSYSRRISTATPYMNGETSTKSLWVINSALRIKILCATYVNVNIRD
 IDKIYVRTGIYHGGPELNDVNTQRVPCSNPRWNEWLNVDIYIPDLPRARLCLCSVKGGRKGAKEEHC
 PLAWGNINLFDYDTLVSGKMALNLWPVPHGLEDLLNPIGVTGSNPNETPCLELEFDWFSSVVKFPDMS
 YIEEHANWVSREAGFSYSHAGLSNRLARDNELRENDKEQLKAISTRDPLSEITEQKDFLWSHRHYCVT
 IPEILPKLLL SVKWSNRDEVAQMYCLVKDWPIKPEQAMELLDCNYPDPMVRGFAVRCLEKYLDDKLSQ
 YLIQLVQLKYEQYLDNLLVRFLKALTNQRIGHFFWHLKSEMHNKTVSQRFGLLLESYCRACGMYLK
 HLNQRQVEAMEKLNLDILKQEKKDETQKVQMKFLVEQMRRPDFMDALQGFLSPLNPAHQLGNLRLEECR
 IMSSAKRPLWLNWENPDIMSELLFQNNIIIFKNGDDLQDMLTLQIIRIMENIWQNQGLDLRMLPYGCLS
 IGDCVGLIEVVRNSHTIMQIQCKGGLKALQFNSHTLHQWLKDKNKGEIYDAAIDLFRSCAGYCVATFI
 LGIGDRHNSNIMVKDDGQLFHIDFGHFLDHKKKFGYKRERVPFVLTQDFLIVISKGAQECTKREFRF
 QEMCYKAYLAIRQHANLFINLFSMMLGSGMPELQSFDDIAYIRKTLALDKTEQEALEYFMKQMNDAHHGG
 WTTKMDWIFHTIKQHALN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6208_h02.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_006218

ORF Size: 3204 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	NM_006218.4
RefSeq Size:	3724 bp
RefSeq ORF:	3207 bp
Locus ID:	5290
UniProt ID:	P42336
Cytogenetics:	3q26.32
Domains:	PI3K_rbd, PI3_PI4_kinase, PI3Ka, PI3K_C2, PI3K_p85B
Protein Families:	Druggable Genome
Protein Pathways:	Acute myeloid leukemia, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Inositol phosphate metabolism, Insulin signaling pathway, Jak-STAT signaling pathway, Leukocyte transendothelial migration, Melanoma, mTOR signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Phosphatidylinositol signaling system, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, VEGF signaling pathway
MW:	124.7 kDa
Gene Summary:	Phosphatidylinositol 3-kinase is composed of an 85 kDa regulatory subunit and a 110 kDa catalytic subunit. The protein encoded by this gene represents the catalytic subunit, which uses ATP to phosphorylate PtdIns, PtdIns4P and PtdIns(4,5)P2. This gene has been found to be oncogenic and has been implicated in cervical cancers. A pseudogene of this gene has been defined on chromosome 22. [provided by RefSeq, Apr 2016]

Product images:



Circular map for RC213112