

Product datasheet for RC213335L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

COL5A2 (NM_000393) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: COL5A2 (NM 000393) Human Tagged ORF Clone Lentiviral Particle

Symbol: COL5A2

Synonyms: EDSC; EDSCL2

Mammalian Cell

Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_000393

ORF Size: 4497 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213335).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000393.3, NP 000384.2

 RefSeq Size:
 6930 bp

 RefSeq ORF:
 4500 bp

 Locus ID:
 1290

 UniProt ID:
 P05997

Cytogenetics: 2q32.2

Domains: COLFI, VWC, Collagen
Protein Families: Druggable Genome



COL5A2 (NM_000393) Human Tagged ORF Clone Lentiviral Particle - RC213335L3V

Protein Pathways: ECM-receptor interaction, Focal adhesion

MW: 144.7 kDa

Gene Summary: This gene encodes an alpha chain for one of the low abundance fibrillar collagens. Fibrillar

collagen molecules are trimers that can be composed of one or more types of alpha chains. Type V collagen is found in tissues containing type I collagen and appears to regulate the assembly of heterotypic fibers composed of both type I and type V collagen. This gene product is closely related to type XI collagen and it is possible that the collagen chains of types V and XI constitute a single collagen type with tissue-specific chain combinations. Mutations in this gene are associated with Ehlers-Danlos syndrome, types I and II. [provided

by RefSeq, Jul 2008]