

Product datasheet for RC213375L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Caspase 9 (CASP9) (NM 032996) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Caspase 9 (CASP9) (NM_032996) Human Tagged ORF Clone Lentiviral Particle

Symbol: Caspase 9

Synonyms: APAF-3; APAF3; ICE-LAP6; MCH6; PPP1R56

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 032996

ORF Size: 798 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213375).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 032996.1, NP 127463.1

RefSeq Size: 1584 bp
RefSeq ORF: 1002 bp
Locus ID: 842

 UniProt ID:
 P55211

 Cytogenetics:
 1p36.21

Protein Families: Druggable Genome, Protease, Stem cell - Pluripotency





Caspase 9 (CASP9) (NM_032996) Human Tagged ORF Clone Lentiviral Particle - RC213375L1V

Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Colorectal cancer,

Endometrial cancer, Huntington's disease, Non-small cell lung cancer, p53 signaling pathway, Pancreatic cancer, Parkinson's disease, Pathways in cancer, Prostate cancer, Small cell lung

cancer, VEGF signaling pathway, Viral myocarditis

MW: 30 kDa

Gene Summary: This gene encodes a member of the cysteine-aspartic acid protease (caspase) family.

Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein can undergo autoproteolytic processing and activation by the apoptosome, a protein complex of cytochrome c and the apoptotic peptidase activating

protein is thought to play a central role in apoptosis and to be a tumor suppressor.

Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2013]

factor 1; this step is thought to be one of the earliest in the caspase activation cascade. This