

Product datasheet for RC213379L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

APAF1 (NM_181868) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: APAF1 (NM_181868) Human Tagged ORF Clone Lentiviral Particle

Symbol: APAF1

Synonyms: APAF-1; CED4

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_181868 **ORF Size:** 3615 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213379).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 181868.1, NP 863658.1

RefSeq Size: 7075 bp
RefSeq ORF: 3618 bp
Locus ID: 317

UniProt ID: <u>O14727</u>

Cytogenetics: 12q23.1

Protein Families: Druggable Genome





APAF1 (NM_181868) Human Tagged ORF Clone Lentiviral Particle - RC213379L4V

Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Huntington's disease, p53

signaling pathway, Parkinson's disease, Small cell lung cancer

MW: 136.9 kDa

Gene Summary: This gene encodes a cytoplasmic protein that initiates apoptosis. This protein contains

several copies of the WD-40 domain, a caspase recruitment domain (CARD), and an ATPase domain (NB-ARC). Upon binding cytochrome c and dATP, this protein forms an oligomeric apoptosome. The apoptosome binds and cleaves caspase 9 preproprotein, releasing its mature, activated form. Activated caspase 9 stimulates the subsequent caspase cascade that

commits the cell to apoptosis. Alternative splicing results in several transcript variants

encoding different isoforms. [provided by RefSeq, Jul 2008]