

Product datasheet for RC213437

AMACR (NM_014324) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	AMACR (NM_014324) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	AMACR
Synonyms:	AMACRD; CBAS4; P504S; RACE; RM
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC213437 representing NM_014324. Blue=ORF Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCACTGCAGGGCATCTCGGTCATGGAGCTGTCCGGCCTGGCCCCGGGCCCGTTCTGTGCTATGGTC
CTGGCTGACTTCGGGGCGCGTGTGGTACCGGTGGACCGGCCCGGCTCCCGCTACGACGTGAGCCGCTTG
GGCCGGGGCAAGCGCTCGCTAGTGTGGACCTGAAGCAGCCGGGGAGCCCGCTGCTGCGGCGTCTG
TGCAAGCGGTGGATGTGCTGCTGGAGCCCTCCGCCGGGTGTCATGGAGAACTCCAGCTGGGCCCA
GAGATTCTGCAGCGGGAAAATCCAAGGCTATTTATGCCAGGCTGAGTGGATTTGGCCAGTCAGGAAGC
TTCTGCCGGTTAGCTGGCCACGATATCAACTATTTGGCTTTGTGAGGTGTTCTCTCAAAAATTGGCAGA
AGTGGTGAGAATCCGTATGCCCGCTGAATCTCCTGGCTGACTTTGCTGGTGGTGGCCTTATGTGTGCA
CTGGGCATTATAATGGCTCTTTTGGCCACACGCACTGACAAGGGTCAGGTCATTGATGCAAATATG
GTGGAAGGAACAGCATATTTAAGTTCTTTTCTGTGGAAAACAGAAATCGAGTCTGTGGGAAGCACCT
CGAGGACAGAACATGTTGGATGGTGGAGCACCTTTCTATACGACTTACAGGACAGCAGATGGGGAATTC
ATGGCTGTTGGAGCAATAGAACCCAGTTCTACGAGCTGCTGATCAAAGGACTTGGACTAAAGTCTGAT
GAACTCCCAATCAGATGAGCATGGATGATTGGCCAGAAATGAAGAAGAAGTTTGAGATGATTTGCA
AAGAAGACGAAGGCAGAGTGGTGTCAAATCTTTGACGGCACAGATGCCTGTGTGACTCCGGTTCTGACT
TTTGAGGAGTTGTTTCATCATGATCACAACAAGGAACGGGGCTCGTTTATCACCAGTGAGGAGCAGGAC
GTGAGCCCCCGCCTGCACCTCTGCTGTTAAACACCCAGCCATCCCTTCTTTCAAAGGGATCCTTTC
ATAGGAGAACACACTGAGGAGATACTTGAAGAATTTGGATTTCAGCCGCAAGAGATTTATCAGCTTAAC
TCAGATAAAAATCATTGAAAGTAATAAGGTAAGGCTAAAGCTAGTCTCAG
AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGAT
ATCCTGGATTACAAGGATGACGACGATAAAGTTTAA
```



[View online »](#)

Protein Sequence: >Peptide sequence encoded by RC213437
 Blue=ORF Red=Cloning site Green=Tag(s)


MALQGISVMELSGLAPGPFAMVLADFGARVVRVDRPGSRYDVSRLGRGKRSVLDLKQPRGAAVLRRLL
 CKRSDVLLPEFRRGVMEKLLQGPETLQRENPLIYARLSGFGQSGSF CRLAGHDINYLALSGVLSKIGR
 SGENPYAPLNLLADFAAGGLMCALGIIMALFDRTRTDKGQVIDANMVEGTAYLSSFLWKTQKSSLWEAP
 RGQNMLDGGAPFYTTYRTADGEFMAVGAIEPQFYELLIKGLGLKSDLPNQMSMDDWPEMKKFAADVFA
 KKTKAEWCQIFDGTDACVTPVLTFFEEVHHHDHKNKERSFITSEEQDVSPRPAPLLLNTPAIPSFKRDPF
 IGEHTEEILEEFGFSREEIYQLNSDKIIESNKVKASL
 SGPTRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Recombinant protein using RC213437 also available, [TP313437](#)

Chromatograms: https://cdn.origene.com/chromatograms/mg2579_b06.zip

Restriction Sites: SgfI-RsrII

Cloning Scheme:



ACCN: NM_014324

ORF Size: 1155 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq Size:	2534 bp
RefSeq ORF:	1149 bp
Locus ID:	23600
UniProt ID:	Q9UHK6
Cytogenetics:	5p13.2
Domains:	CAIB-BAIF
Protein Families:	Druggable Genome
Protein Pathways:	Metabolic pathways, Primary bile acid biosynthesis
MW:	42.7 kDa
Gene Summary:	<p>This gene encodes a racemase. The encoded enzyme interconverts pristanoyl-CoA and C27-bile acylCoAs between their (R)- and (S)-stereoisomers. The conversion to the (S)-stereoisomers is necessary for degradation of these substrates by peroxisomal beta-oxidation. Encoded proteins from this locus localize to both mitochondria and peroxisomes. Mutations in this gene may be associated with adult-onset sensorimotor neuropathy, pigmentary retinopathy, and adrenomyeloneuropathy due to defects in bile acid synthesis. Alternatively spliced transcript variants have been described. Read-through transcription also exists between this gene and the upstream neighboring C1QTNF3 (C1q and tumor necrosis factor related protein 3) gene. [provided by RefSeq, Mar 2011]</p>


Product images:




Circular map for RC213437



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY AMACR (Cat# RC213437, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AMACR antibody (Cat# [TA800852]). Positive lysates [LY402314] (100ug) and [LC402314] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY402314]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC213437 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified AMACR protein (Cat# [TP313437]). The protein was produced from HEK293T cells transfected with AMACR cDNA clone (Cat# RC213437) using MegaTran 2.0 (Cat# [TT210002]).