

Product datasheet for RC213437L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AMACR (NM 014324) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: AMACR (NM_014324) Human Tagged ORF Clone Lentiviral Particle

Symbol:

AMACRD; CBAS4; P504S; RACE; RM Synonyms:

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Myc-DDK Tag: NM 014324

ORF Size: 1155 bp

ORF Nucleotide

OTI Disclaimer:

Sequence:

ACCN:

The ORF insert of this clone is exactly the same as(RC213437).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 014324.4

RefSeq Size: 2534 bp RefSeq ORF: 1149 bp Locus ID: 23600 **UniProt ID:** Q9UHK6 Cytogenetics: 5p13.2

Domains: CAIB-BAIF

Protein Families: Druggable Genome





AMACR (NM_014324) Human Tagged ORF Clone Lentiviral Particle - RC213437L1V

Protein Pathways: Metabolic pathways, Primary bile acid biosynthesis

MW: 42.7 kDa

Gene Summary: This gene encodes a racemase. The encoded enzyme interconverts pristanoyl-CoA and C27-

bile acylCoAs between their (R)- and (S)-stereoisomers. The conversion to the (S)-stereoisomers is necessary for degradation of these substrates by peroxisomal beta-oxidation. Encoded proteins from this locus localize to both mitochondria and peroxisomes. Mutations in this gene may be associated with adult-onset sensorimotor neuropathy, pigmentary retinopathy, and adrenomyeloneuropathy due to defects in bile acid synthesis. Alternatively spliced transcript variants have been described. Read-through transcription also exists between this gene and the upstream neighboring C1QTNF3 (C1q and tumor necrosis

factor related protein 3) gene. [provided by RefSeq, Mar 2011]