

## Product datasheet for RC213437L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## AMACR (NM\_014324) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** AMACR (NM\_014324) Human Tagged ORF Clone Lentiviral Particle

Symbol: AMACR

Synonyms: AMACRD; CBAS4; P504S; RACE; RM

**Mammalian Cell** 

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_014324 **ORF Size:** 1155 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC213437).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 014324.4

RefSeq Size: 2534 bp
RefSeq ORF: 1149 bp
Locus ID: 23600
UniProt ID: Q9UHK6
Cytogenetics: 5p13.2
Domains: CAIB-BAIF

**Protein Families:** Druggable Genome





## AMACR (NM\_014324) Human Tagged ORF Clone Lentiviral Particle - RC213437L2V

**Protein Pathways:** Metabolic pathways, Primary bile acid biosynthesis

**MW:** 42.7 kDa

Gene Summary: This gene encodes a racemase. The encoded enzyme interconverts pristanoyl-CoA and C27-

bile acylCoAs between their (R)- and (S)-stereoisomers. The conversion to the (S)-stereoisomers is necessary for degradation of these substrates by peroxisomal beta-oxidation. Encoded proteins from this locus localize to both mitochondria and peroxisomes. Mutations in this gene may be associated with adult-onset sensorimotor neuropathy, pigmentary retinopathy, and adrenomyeloneuropathy due to defects in bile acid synthesis.

Alternatively spliced transcript variants have been described. Read-through transcription also exists between this gene and the upstream neighboring C1QTNF3 (C1q and tumor necrosis

factor related protein 3) gene. [provided by RefSeq, Mar 2011]