


OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001029891.2
RefSeq Size:	1678 bp
RefSeq ORF:	765 bp
Locus ID:	441531
UniProt ID:	Q8N0Y7
Cytogenetics:	Xq21.1
Protein Pathways:	Glycolysis / Gluconeogenesis, Metabolic pathways
MW:	28.6 kDa
Gene Summary:	This intronless gene appears to have arisen from a retrotransposition event, yet it is thought to be an expressed, protein-coding gene. The encoded protein is a member of the phosphoglycerate mutase family, a set of enzymes that catalyze the transfer of a phosphate group from 3-phosphoglycerate to 2-phosphoglycerate. [provided by RefSeq, May 2010]

Product images:



Circular map for RC213480L4