

Product datasheet for RC213502L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cytochrome P450 2E1 (CYP2E1) (NM_000773) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Cytochrome P450 2E1 (CYP2E1) (NM_000773) Human Tagged ORF Clone Lentiviral Particle

Symbol: Cytochrome P450 2E1

Synonyms: CPE1; CYP2E; P450-J; P450C2E

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_000773 **ORF Size:** 1479 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213502).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000773.3

 RefSeq Size:
 1667 bp

 RefSeq ORF:
 1482 bp

 Locus ID:
 1571

 UniProt ID:
 P05181

Cytogenetics: 10q26.3

Domains: p450

Protein Families: Druggable Genome, P450, Transmembrane





Cytochrome P450 2E1 (CYP2E1) (NM_000773) Human Tagged ORF Clone Lentiviral Particle – RC213502L2V

Protein Pathways: Arachidonic acid metabolism, Drug metabolism - cytochrome P450, Linoleic acid metabolism,

Metabolic pathways, Metabolism of xenobiotics by cytochrome P450

MW: 56.8 kDa

Gene Summary: This gene encodes a member of the cytochrome P450 superfamily of enzymes. The

cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and is induced by ethanol, the diabetic state, and starvation. The enzyme metabolizes both endogenous substrates, such as ethanol, acetone, and acetal, as well as exogenous substrates including benzene, carbon tetrachloride, ethylene glycol, and nitrosamines which are premutagens found in cigarette smoke. Due to its many substrates, this enzyme may be involved in such varied processes as gluconeogenesis, hepatic cirrhosis,

diabetes, and cancer. [provided by RefSeq, Jul 2008]