

Product datasheet for RC213516L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TBL1 (TBL1X) (NM_005647) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TBL1 (TBL1X) (NM_005647) Human Tagged ORF Clone Lentiviral Particle

Symbol: TBL1

Synonyms: CHNG8; EBI; SMAP55; TBL1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 005647

ORF Size: 1731 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC213516).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005647.2

RefSeq Size:5886 bpRefSeq ORF:1734 bpLocus ID:6907

UniProt ID: <u>060907</u>


Cytogenetics: Xp22.31-p22.2

Domains: WD40, LisH

•

Protein Families: Transcription Factors







Protein Pathways: Wnt signaling pathway

MW: 62.3 kDa

Gene Summary: The protein encoded by this gene has sequence similarity with members of the WD40 repeat-

containing protein family. The WD40 group is a large family of proteins, which appear to have a regulatory function. It is believed that the WD40 repeats mediate protein-protein

integrations and reachers of the femily are involved in signal transduction. DNA present

interactions and members of the family are involved in signal transduction, RNA processing, gene regulation, vesicular trafficking, cytoskeletal assembly and may play a role in the control of cytotypic differentiation. This encoded protein is found as a subunit in corepressor SMRT

(silencing mediator for retinoid and thyroid receptors) complex along with histone deacetylase 3 protein. This gene is located adjacent to the ocular albinism gene and it is

thought to be involved in the pathogenesis of the ocular albinism with late-onset

sensorineural deafness phenotype. Four transcript variants encoding two different isoforms have been found for this gene. This gene is highly similar to the Y chromosome TBL1Y gene.

[provided by RefSeq, Nov 2008]