

Product datasheet for RC213529L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Neuronal membrane glycoprotein M6 a (GPM6A) (NM_201592) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Neuronal membrane glycoprotein M6 a (GPM6A) (NM_201592) Human Tagged ORF Clone

Lentiviral Particle

Symbol: Neuronal membrane glycoprotein M6 a

Synonyms: GPM6; M6A

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_201592

ORF Size: 801 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213529).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 201592.1</u>

 RefSeq Size:
 2962 bp

 RefSeq ORF:
 804 bp

 Locus ID:
 2823

 UniProt ID:
 P51674

 Cytogenetics:
 4q34.2

Protein Families: Transmembrane







MW: 29.7 kDa

Gene Summary: Involved in neuronal differentiation, including differentiation and migration of neuronal stem

cells. Plays a role in neuronal plasticity and is involved in neurite and filopodia outgrowth, filopodia motility and probably synapse formation. GPM6A-induced filopodia formation involves mitogen-activated protein kinase (MAPK) and Src signaling pathways. May be involved in neuronal NGF-dependent Ca(2+) influx. May be involved in regulation of endocytosis and intracellular trafficking of G-protein-coupled receptors (GPCRs); enhances internalization and recycling of mu-type opioid receptor. [UniProtKB/Swiss-Prot Function]