

### **Product datasheet for RC213530L3**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

## PARP3 (NM\_001003931) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: PARP3 (NM\_001003931) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: PARP3

Synonyms: ADPRT3; ADPRTL2; ADPRTL3; ARTD3; IRT1; PADPRT-3

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC213530).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: NM\_001003931

ORF Size: 1620 bp





#### PARP3 (NM\_001003931) Human Tagged Lenti ORF Clone - RC213530L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001003931.2</u>, <u>NP 001003931.2</u>

 RefSeq Size:
 2355 bp

 RefSeq ORF:
 1602 bp

 Locus ID:
 10039

 UniProt ID:
 Q9Y6F1

 Cytogenetics:
 3p21.2

**Protein Families:** Druggable Genome

**MW:** 60.7 kDa

**Protein Pathways:** 

**Gene Summary:** The protein encoded by this gene belongs to the PARP family. These enzymes modify nuclear

proteins by poly-ADP-ribosylation, which is required for DNA repair, regulation of apoptosis, and maintenance of genomic stability. This gene encodes the poly(ADP-ribosyl)transferase 3,


which is preferentially localized to the daughter centriole throughout the cell cycle. Alternatively spliced transcript variants encoding different isoforms have been identified.

[provided by RefSeq, Jul 2008]

Base excision repair



# **Product images:**



Circular map for RC213530L3