


# Product datasheet for RC213537L2

## LIN28B (NM\_001004317) Human Tagged Lenti ORF Clone

### **Product data:**

Product Name:LIN28B (NM_001004317) Human Tagged Lenti ORF CloneTag:mGFPSymbol:LIN28BSynonyms:CSDD2Mammalian Cell Selection:NoneVector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)ORF Nucleotide Sequence:Sgfl-MlulRestriction Sites:Sgfl-Mlul	Product Type:	Expression Plasmids
Symbol:LIN28BSynonyms:CSDD2Mammalian Cell Selection:NoneVector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)ORF Nucleotide Sequence:The ORF insert of this clone is exactly the same as(RC213537).Restriction Sites:Sgfl-MlulCloning Scheme:Sgfl-Mlul	Product Name:	LIN28B (NM_001004317) Human Tagged Lenti ORF Clone
Synonyms:CSDD2Mammalian Cell Selection:NoneVector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)ORF Nucleotide Sequence:The ORF insert of this clone is exactly the same as(RC213537).Restriction Sites:Sgfl-MlulCloning Scheme:Sgfl-Mlul	Tag:	mGFP
Mammalian CellNoneSelection:PLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)ORF NucleotideThe ORF insert of this clone is exactly the same as(RC213537).Sequence:Sgfl-MlulCloning Scheme:Sgfl-Mlul	Symbol:	LIN28B
Selection:Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)ORF NucleotideThe ORF insert of this clone is exactly the same as(RC213537).Sequence:Sgfl-MlulCloning Scheme:Vector:	Synonyms:	CSDD2
E. coli Selection:Chloramphenicol (34 ug/mL)ORF NucleotideThe ORF insert of this clone is exactly the same as(RC213537).Sequence:Sgfl-MlulCloning Scheme:Sgfl-Mlul		None
ORF Nucleotide       The ORF insert of this clone is exactly the same as(RC213537).         Sequence:       Sgfl-Mlul         Cloning Scheme:       Sgfl-Mlul	Vector:	pLenti-C-mGFP (PS100071)
Sequence: Restriction Sites: SgfI-Mlul Cloning Scheme:	E. coli Selection:	Chloramphenicol (34 ug/mL)
Cloning Scheme:		The ORF insert of this clone is exactly the same as(RC213537).
	<b>Restriction Sites:</b>	Sgfl-Mlul
Sgf i ORF Miu i GCG ATC GC C ATG // NNŇ  ACG CGT	Cloning Scheme:	Sgf I ORF MIu I



ACCN: ORF Size: NM\_001004317 750 bp

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Sevential Content of the sevent of the seven	
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Metho	<ul> <li>d: 1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ul>
RefSeq:	<u>NM 001004317.2</u>
RefSeq Size:	5504 bp
RefSeq ORF:	753 bp
Locus ID:	389421
UniProt ID:	<u>Q6ZN17</u>
Cytogenetics:	6q16.3-q21
MW:	26.9 kDa
Gene Summary:	The protein encoded by this gene belongs to the lin-28 family, which is characterized by the presence of a cold-shock domain and a pair of CCHC zinc finger domains. This gene is highly expressed in testis, fetal liver, placenta, and in primary human tumors and cancer cell lines. It is negatively regulated by microRNAs that target sites in the 3' UTR, and overexpression of this gene in primary tumors is linked to the repression of let-7 family of microRNAs and derepression of let-7 targets, which facilitates cellular transformation. [provided by RefSeq, Jun 2012]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **Product images:**



Circular map for RC213537L2

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US