

Product datasheet for RC213538L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AKR1C2 (NM_001354) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: AKR1C2 (NM_001354) Human Tagged ORF Clone Lentiviral Particle

Symbol: AKR1C2

Synonyms: AKR1C-pseudo; BABP; DD; DD-2; DD/BABP; DD2; DDH2; HAKRD; HBAB; MCDR2; SRXY8; TDD

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 001354

ORF Size: 969 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213538).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001354.4

 RefSeq Size:
 1663 bp

 RefSeq ORF:
 972 bp

 Locus ID:
 1646

 UniProt ID:
 P52895

 Cytogenetics:
 10p15.1

Domains: aldo_ket_red

Protein Families: Druggable Genome





AKR1C2 (NM_001354) Human Tagged ORF Clone Lentiviral Particle - RC213538L1V

Protein Pathways: Metabolism of xenobiotics by cytochrome P450

MW: 36.6 kDa

Gene Summary: This gene encodes a member of the aldo/keto reductase superfamily, which consists of more

than 40 known enzymes and proteins. These enzymes catalyze the conversion of aldehydes and ketones to their corresponding alcohols using NADH and/or NADPH as cofactors. The enzymes display overlapping but distinct substrate specificity. This enzyme binds bile acid with high affinity, and shows minimal 3-alpha-hydroxysteroid dehydrogenase activity. This gene shares high sequence identity with three other gene members and is clustered with those three genes at chromosome 10p15-p14. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Dec 2011]