

## **Product datasheet for RC213585**

## **UBE2D3 (NM 181886) Human Tagged ORF Clone**

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: UBE2D3 (NM\_181886) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: UBE2D3

**Synonyms:** E2(17)KB3; UBC4/5; UBCH5C

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC213585 representing NM\_181886

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGGACTCAGAAGTATGCCATG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC213585 representing NM\_181886

Red=Cloning site Green=Tags(s)

MALKRINKELSDLARDPPAQCSAGPVGDDMFHWQATIMGPNDSPYQGGVFFLTIHFPTDYPFKPPKVAFT TRIYHPNINSNGSICLDILRSQWSPALTISKVLLSICSLLCDPNPDDPLVPEIARIYKTDRDKYNRISRE

WTQKYAM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** https://cdn.origene.com/chromatograms/mk6340 c05.zip



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com ORÏGENE

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_181886

ORF Size: 441 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 181886.3</u>

RefSeq Size: 4184 bp
RefSeq ORF: 4444 bp
Locus ID: 7323



UniProt ID: P61077

Cytogenetics: 4q24

**Protein Pathways:** Ubiquitin mediated proteolysis


**MW:** 16.7 kDa

**Gene Summary:** The modification of proteins with ubiquitin is an important cellular mechanism for targeting


abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme functions in the ubiquitination of the tumor-suppressor protein p53, which is induced by an E3 ubiquitin-protein ligase. [provided by

RefSeq, Jan 2017]

## **Product images:**




Circular map for RC213585



Western blot validation of overexpression lysate (Cat# [LY405579]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC222643] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified UBE2D3 protein (Cat# [TP313585]). The protein was produced from HEK293T cells transfected with UBE2D3 cDNA clone (Cat# RC213585) using MegaTran 2.0 (Cat# [TT210002]).