

## **Product datasheet for RC213603**

## Elastin (ELN) (NM\_000501) Human Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Elastin (ELN) (NM\_000501) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: Elastin

Synonyms: ADCL1; SVAS; WBS; WS

Mammalian Cell Neomycin

Selection:


Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_000501

ORF Size: 2274 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### Elastin (ELN) (NM\_000501) Human Tagged ORF Clone - RC213603

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 000501.1</u>, <u>NP 000492.1</u>

RefSeq Size: 3789 bp
RefSeq ORF: 2175 bp
Locus ID: 2006
UniProt ID: P15502

Cytogenetics: 7q11.23

**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane

MW: 66.1 kDa

**Gene Summary:** This gene encodes a protein that is one of the two components of elastic fibers. Elastic fibers

comprise part of the extracellular matrix and confer elasticity to organs and tissues including

the heart, skin, lungs, ligaments, and blood vessels. The encoded protein is rich in hydrophobic amino acids such as glycine and proline, which form mobile hydrophobic

regions bounded by crosslinks between lysine residues. Degradation products of the encoded protein, known as elastin-derived peptides or elastokines, bind the elastin receptor complex


and other receptors and stimulate migration and proliferation of monocytes and skin

fibroblasts. Elastokines can also contribute to cancer progression. Deletions and mutations in this gene are associated with supravalvular aortic stenosis (SVAS) and autosomal dominant

cutis laxa. [provided by RefSeq, Aug 2017]



# **Product images:**



Circular map for RC213603