

Product datasheet for RC213623

NLRP3 (NM_001079821) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NLRP3 (NM_001079821) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NLRP3
Synonyms:	AGTAVPRL; All; AVP; C1orf7; CIAS1; CLR1.1; DFNA34; FCAS; FCAS1; FCU; KEFH; MWS; NALP3; PYPAF1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC213623 representing NM_001079821 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAAGATGGCAAGCACCCGCTGCAAGCTGGCCAGGTACCTGGAGGACCTGGAGGATGTGGACTTGAAGA
AATTTAAGATGCACTTAGAGGACTATCCTCCCCAGAAGGGCTGCATCCCCCTCCCGAGGGGTGAGACAGA
GAAGGCAGACCATGTGGATCTAGCCACGCTAATGATCGACTTCAATGGGGAGGAGAAGGCGTGGGCCATG
GCCGTGTGGATCTTCGCTGCGATCAACAGGAGAGACCTTTATGAGAAAGCAAAAAGAGATGAGCCGAAGT
GGGTTTCAGATAATGCACGTGTTTCGAATCCCCTGTGATATGCCAGGAAGACAGCATTGAAGAGGAGTG
GATGGGTTTACTGGAGTACCTTTTCGAGAATCTCTATTTGTAATAAAGAAAGATTACCGTAAGAAGTAC
AGAAAGTACGTGAGAAGCAGATTCAGTGCATTGAAGACAGGAATGCCCGTCTGGGTGAGAGTGTGAGCC
TCAACAAACGCTACACACGACTGCGTCTCATCAAGGAGCACCGGAGCCAGCAGGAGAGGGAGCAGGAGCT
TCTGGCCATCGGCAAGACCAAGACGTGTGAGAGCCCCGTGAGTCCCATTAAAGATGGAGTTGCTGTTTGAC
CCCGATGATGAGCATTCTGAGCCTGTGCACACCGTGGTGTTCAGGGGGCGGCAGGGATTGGGAAAAACA
TCCTGGCCAGGAAGATGATGTTGGACTGGGCGTCGGGGACACTCTACCAAGACAGGTTTGACTATCTGTT
CTATATCCACTGTGAGAGGTGAGCCTTGTGACACAGAGGAGCCTGGGGACCTGATCATGAGCTGCTGC
CCCAGCCAAACCCACCCATCCACAAGATCGTGAGAAAACCTCCAGAATCCTCTTCCTCATGGACGGCT
TCGATGAGCTGCAAGGTGCCTTTGACGAGCACATAGGACCGCTCTGCACTGACTGGCAGAAGGCCGAGCG
GGGAGACATTCTCTGAGCAGCCTCATCAGAAAGAAGCTGCTTCCGAGGCCTCTCTGCTCATCACCAGC
AGACCTGTGGCCCTGGAGAAACTGCAGCACTTGCTGGACCATCCTCGGCATGTGGAGATCCTGGGTTTCT
CCGAGGCCAAAAGGAAAGAGTACTTCTTCAAGTACTTCTCTGATGAGGCCAAGCCAGGGCAGCCTTCAG
TCTGATTACAGGAGAACGAGGTCTCTTACCATGTGCTTCATCCCCCTGGTCTGCTGGATCGTGTGCACT
GGACTGAAACAGCAGATGGAGAGTGGCAAGAGCCTTGCCAGACATCCAAGACCACCACCGCGGTGTACG
TCTTCTTCTTCCAGTTTGTGTCAGCCCCGGGAGGGAGCCAGGAGCACGGCCTCTGCGCCACCTCTG



[View online »](#)

GGGGCTGCTCTTTGGCTGCAGATGGAATCTGGAACCAGAAAATCCTGTTTGAGGAGTCCGACCTCAGG
AATCATGGACTGCAGAAGGCGGATGTGTCTGCTTTCTGAGGATGAACCTGTTCCAAAAGGAAGTGGACT
GCGAGAAGTTCTACAGCTTCATCCACATGACTTTCCAGGAGTTCTTTGCCGCCATGTACTACCTGCTGGA
AGAGGAAAAGGAAGGAAGGACGAACGTTCCAGGGAGTCGTTTGAAGCTTCCCAGCCGAGACGTGACAGTC
CTTCTGGAAAATATGGCAAATTCGAAAAGGGTATTTGATTTTTGTTGTACGTTTCTCTTTGGCCTGG
TAAACCAGGAGAGGACCTCTACTTGGAGAAGAAATTAAGTTGCAAGATCTCTCAGCAATCAGGCTGGA
GCTGCTGAAATGGATTGAAGTGAAGCCAAAGCTAAAAAGCTGCAGATCCAGCCAGCCAGCTGGAATTG
TTCTACTGTTTGTACGAGATGCAGGAGGAGGACTTCGTGCAAAGGCCATGGACTATTTCCCAAGATTG
AGATCAATCTCTCCACCAAGATGGACCACATGGTTTTCTCTTTTGCATTGAGAAGTGCATCGGGTGA
GTCACTGTCCCTGGGTTTCTCCATAACATGCCCAAGGAGGAAGAGGAGGAGAAAAGGAAGGCCGACAC
CTTGATATGGTGCAGTGTCTCCCAAGCTCCTCTCATGCTGCCTGTTCTCATGGATTGGTGAACAGCC
ACCTCACTCCAGTTTTTCCGGGGCCTTTTTCAGTTCTGAGCACCAGCCAGAGTCTAACTGAATTGGA
CCTCAGTGACAATCTCTGGGGACCCAGGGATGAGAGTGTGTGAAACGCTCCAGCATCCTGGCTGT
AACATTCGGAGATTGTGGTTGGGGCGCTGTGCCCTCTCGCATGAGTGTCTCGACATCTCCTTGGTCC
TCAGCAGCAACCAGAAGCTGGTGGAGCTGGACCTGAGTGACAACGCCCTCGGTGACTTCGGAATCAGACT
TCTGTGTGTGGGACTGAAGCACCTGTTGTGCAATCTGAAGAAGCTCTGGTTGGTCAAGTGCCTCACA
TCAGCATGTTGTGAGGATCTTGATCAGTATTGAGCACCAGCCATTCCCTGACCAGACTCTATGTGGGG
AGAATGCCTTGGGAGACTCAGGAGTCGCAATTTTATGTGAAAAGCCAAGAATCCACAGTGAACCTGCA
GAAACTGGGGTGGTGAATCTGGCCTTACGTCAGTCTGTTGTTGAGCTTTGCTCAGTACTCAGCACT
AATCAGAATCTCACGCACCTTTACCTGCGAGGCAACACTCTCGGAGACAAGGGGATCAAACACTCTGTG
AGGGACTCTTGCACCCGACTGCAAGCTCAGGTGTTGGAATTAGACAACGCAACCTCACGTACACTG
CTGCTGGGATCTTCCACACTTCTGACCTCCAGCCAGAGCCTGCGAAAGCTGAGCCTGGGCAACAATGAC
CTGGGCGACTGGGGTCTGATGTTCTGTGAAGTGTGAAACAGCAGAGCTGCCTCTCGACAACCTGG
GGTTGCTGAAAATGATTTCAATTATGAGACAAAAGTGCCTTAGAAACACTTCAAGAAGAAAAGCCTGA
GCTGACCGTCGCTTTGAGCCTTCTGG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC213623 representing NM_001079821

Red=Cloning site Green=Tags(s)

MKMASTRCKLARYLEDLEDVDLKKFKMHLEDYPPQKGCIPRPGQTEKADHVDLATLMIDFNNGEEKAWAM
AVWIFAAINRRDLYEKAKRDEPKWGSNARVSNPTVICQEDSIEEEMGLLEYLSRISICKMKKDYRKKY
RKYVRSRFQCIEDRNARLGEVSLNKRYTRLRIKEHRSQQEREQELLAIGKTKTCESPVSPKMEELLFD
PDDEHSEPVHTVVFQGAAGIGKTLARKMMLDWSGTLYQDRFDYLFYIHCREVSLVTQRSLGDLIMSSC
PDPNPPIHKIVRKPSRILFLMDGFDELQGAFFDEHIGPLCTDWQKAERGDILLSSLIRKLLPEASLLITT
RPVALEKQLHLLDHPRHVEILGFSEAKRKEYFFKYFSDEAQAARAFSLIQENEVLFMCFIPLVCWIVCT
GLKQQMESGKSLAQTSKTTTAVYVFFLSLLQPRGGSQEHGLCAHLWGLCSLAADGIWNQKILFEESDLR
NHGLQKADVSAFLRMNLFQKEVDCEKFYSFIHMTFQEFFAAMYLLLEEKEGRTNVPGSRLKLPDRDVTV
LLENYKGFKEGYLIFVVRFLFGLVNQERTSYLEKKLSCKISQQIRLELLKWIEVKAKAKKLIQPSQLEL
FYCLYEMQEEDFVQRAMDYFPKIEINLSTRMDHMVSSFCIENCHRVESSLGFLHNMPKEEEEEKEGRH
LDMVQCVLPSSSHAACSHGLVNSHLTSSFCRGLFSVLSTSQSLTELDLSDNSLGDPMRVLCETLQHPGC
NIRRLWLGRCGLSHECCFDISLVSSNQKLVLDLSDNALGDFGIRLLCVGLKHLKLLCNLKLWLVSCCLT
SACCQDLASVLSHSLTRLVYGENALGDSGVAILEKAKNPQC�LQKGLVNSGLTSVCCSALSSVLSST
NQNLTHLYLRGNTLGDKGIKLLCEGLLHPDCKLQVLELDNCNLTSHCCWDLSTLLTSSQSLRKLKSLGNN
LGDLGVMMFCEVLKQQSCLLQNLGLSEMYFNYETKSAETLQEEKPELTVVFEPSW

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6168_f11.zip

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_001079821

ORF Size: 3108 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001079821.1](#), [NP_001073289.1](#)

RefSeq Size: 3845 bp

RefSeq ORF: 3105 bp


Locus ID: 114548

UniProt ID: [Q96P20](#)


Cytogenetics: 1q44
Protein Families: Druggable Genome
Protein Pathways: NOD-like receptor signaling pathway
MW: 118 kDa
Gene Summary:

This gene encodes a pyrin-like protein containing a pyrin domain, a nucleotide-binding site (NBS) domain, and a leucine-rich repeat (LRR) motif. This protein interacts with the apoptosis-associated speck-like protein PYCARD/ASC, which contains a caspase recruitment domain, and is a member of the NLRP3 inflammasome complex. This complex functions as an upstream activator of NF-kappaB signaling, and it plays a role in the regulation of inflammation, the immune response, and apoptosis. The SARS-CoV 3a protein, a transmembrane pore-forming viroporin, has been shown to activate the NLRP3 inflammasome via the formation of ion channels in macrophages. Mutations in this gene are associated with familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome, neonatal-onset multisystem inflammatory disease (NOMID), keratoendotheliitis fugax hereditaria, and deafness, autosomal dominant 34, with or without inflammation. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. Alternative 5' UTR structures are suggested by available data; however, insufficient evidence is available to determine if all of the represented 5' UTR splice patterns are biologically valid. [provided by RefSeq, Aug 2020]

Product images:



Circular map for RC213623



Western blot validation of overexpression lysate (Cat# [LY401526]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC220952] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).