

Product datasheet for RC213816L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HIST1H2AK (HIST1H2AI) (NM 003509) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: HIST1H2AK (HIST1H2AI) (NM_003509) Human Tagged ORF Clone Lentiviral Particle

Symbol: HIST1H2AK

Synonyms: H2A/c; H2AC11; H2AC15; H2AC16; H2AC17; H2AFC; HIST1H2AI

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 003509

ORF Size: 390 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC213816).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 003509.2</u>

RefSeq Size: 469 bp
RefSeq ORF: 393 bp
Locus ID: 8329
UniProt ID: POCOS8
Cytogenetics: 6p22.1

Protein Pathways: Systemic lupus erythematosus

MW: 14.1 kDa





HIST1H2AK (HIST1H2AI) (NM_003509) Human Tagged ORF Clone Lentiviral Particle – RC213816L3V

Gene Summary:

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the small histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015]