

Product datasheet for RC213984

PAK4 (NM_001014834) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PAK4 (NM_001014834) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PAK4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC213984 representing NM_001014834 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGATCGCC

ATGTTTGGGAAGAGGAAGAAGCGGGTGGAGATCTCCGCGCCGTCCAACCTCGAGCACCGCGTGCACACGG
GCTTCGACCAGCACGAGCAGAAGTTCACGGGGCTGCCCGCCAGTGCCAGAGCCTGATCGAGGAGTCGGC
TCGCGGGCCCAAGCCCTCGTCGACCCCGCCTGCATCACCTCCATCCAGCCCGGGGCCCAAGGGGGAG
CCTCATGACGTGGCCCTAACGGGCCATCAGCGGGGGCCTGGCCATCCCCAGTCTCTCTCTCTCTCT
CCCGCCCTCCACCCGAGCCGAGGTGCCCCAGCCCTGGAGTGTGGACCCACGCCCTCAGAGCCCA
GCTGGCCCTCCAGCCTGCACCCCGCCGCCCTGCTGTTCTGGGCCCTGGCCCGCTCACCACAG
CGGGAGCCACAGCGAGTATCCCATGAGCAGTTCGGGGCTGCCCTGCAGCTGGTGGTGGACCCAGGGGACC
CCCGCTCTACCTGGACAACCTCATCAAGATTGGCGAGGGCTCCACGGGCATCGTGTGCATCGCCACCGT
GCGCAGCTCGGGCAAGCTGGTGGCCGTCAAGAAGATGGACCTGCGCAAGCAGCAGAGGGCGGAGCTGCTC
TTCAACGAGGTGGTAATCATGAGGGACTACCAGCACGAGAATGTGGTGGAGATGTACAACAGCTACCTGG
TGGGGGACGAGCTCTGGGTGGTATGGAGTTCCTGGAAGGAGGCGCCCTCACCGACATCGTACCCACAC
CAGGATGAACGAGGAGCAGATCGCGCCGTGTGCCTTGCAGTGTGCAGGCCCTGTGGTGTCCACGCC
CAGGGCGTCATCCACGGGACATCAAGAGCGACTCGATCTGCTGACCCATGATGGCAGGGTGAAGCTGT
CAGACTTTGGTTCTGCGCCAGGTGAGCAAGGAAGTGCCTTGCAGTGTGCAGGCCCTGTGGTGTCCACGCC
CTGGATGGCCCCAGAGCTCATCTCCCGCTTCCCTACGGGCCAGAGGTAGACATCTGGTCTGGGGATA
ATGGTATTGAGATGGTGGACGGAGAGCCCTACTTCAACGAGCCACCCCTCAAAGCCATGAAGATGA
TTCCGGGACAACCTGCCACCCCGACTGAAGAACCTGCACAAGGTGTGCCATCCCTGAAGGGCTTCTTGG
CCGCTGCTGGTGCAGACCTGCCAGCGGGCCACGGCAGCCGAGTGTGAAGCACCCATTCTGGCC
AAGGCAGGGCCGCTGCCAGCATCGTCCCCTCATGCGCCAGAACCGCACCAGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online >](#)

Protein Sequence: >RC213984 representing NM_001014834
Red=Cloning site Green=Tags(s)

MFGKRRKRVEISAPSNFEHRVHTGFDQHEQKFTGLPRQWQSLIEESARRPKPLVDPACITSIQPGAPKGE
 PHDVAPNGPSAGGLAIPQSSSSSRPPTRARGAPSPGVLGPHASEPQLAPPACTPAAPAVPGPPGPRSPQ
 REPQRVSHQFRAALQLVVDPGDPPRSYLDNF IKIGEGSTGIVCIATVRSSGKLVAVKKMDLRKQQRRELL
 FNEVVIMRDYQHENVVEMYNSYLVGDELWVVMFLEGGALTDIVTHTRMNEEQIAAVCLAVLQALSVLHA
 QGVIHRDIKSDSILL.THDGRVKLSDFGCAQVSKVPRRKSIVGTPYWMAPELISRLPYGPEVDIWSLGI
 MVIEMVDGEPYPFNEPPLKAMKIMIRDNLPPRLKNLHKVSPSLKGFDRLLVRDPAQRATAAELLKHPFLA
 KAGPPASIVPLMRQNRTR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8059_h11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001014834

ORF Size: 1314 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_001014834.3](#)

RefSeq Size: 2309 bp

RefSeq ORF: 1317 bp

Locus ID: 10298

UniProt ID: [O96013](#)

Cytogenetics: 19q13.2


Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: Axon guidance, ErbB signaling pathway, Focal adhesion, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway


MW: 48.1 kDa

Gene Summary: PAK proteins, a family of serine/threonine p21-activating kinases, include PAK1, PAK2, PAK3 and PAK4. PAK proteins are critical effectors that link Rho GTPases to cytoskeleton reorganization and nuclear signaling. They serve as targets for the small GTP binding proteins Cdc42 and Rac and have been implicated in a wide range of biological activities. PAK4 interacts specifically with the GTP-bound form of Cdc42Hs and weakly activates the JNK family of MAP kinases. PAK4 is a mediator of filopodia formation and may play a role in the reorganization of the actin cytoskeleton. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC213984



Western blot validation of overexpression lysate (Cat# [LY423088]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC213984 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).