

### Product datasheet for RC214272L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Neurokinin A Receptor (TACR2) (NM\_001057) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Neurokinin A Receptor (TACR2) (NM\_001057) Human Tagged Lenti ORF Clone

Tag: mGFF

Symbol: Neurokinin A Receptor

Synonyms: NK2R; NKNAR; SKR; TAC2R

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clo


Sequence:

The ORF insert of this clone is exactly the same as(RC214272).

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001057

ORF Size: 1194 bp



#### Neurokinin A Receptor (TACR2) (NM\_001057) Human Tagged Lenti ORF Clone - RC214272L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001057.1</u>

 RefSeq Size:
 1197 bp

 RefSeq ORF:
 1197 bp

 Locus ID:
 6865

 UniProt ID:
 P21452

Cytogenetics: 10q22.1 Domains: 7tm 1

**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Calcium signaling pathway, Neuroactive ligand-receptor interaction

MW: 44.3 kDa

**Gene Summary:** This gene belongs to a family of genes that function as receptors for tachykinins. Receptor

affinities are specified by variations in the 5'-end of the sequence. The receptors belonging to


this family are characterized by interactions with G proteins and 7 hydrophobic

transmembrane regions. This gene encodes the receptor for the tachykinin neuropeptide

substance K, also referred to as neurokinin A. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC214272L4