

## **Product datasheet for RC214361**

#### **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# DUSP27 (DUPD1) (NM\_001003892) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** DUSP27 (DUPD1) (NM\_001003892) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: DUSP27

Synonyms: DUPD1; DUSP27; FMDSP

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC214361 representing NM\_001003892
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



#### DUSP27 (DUPD1) (NM\_001003892) Human Tagged ORF Clone - RC214361

Protein Sequence: >RC214361 representing NM\_001003892

Red=Cloning site Green=Tags(s)

MTSGEVKTSLKNAYSSAKRLSPKMEEEGEEEDYCTPGAFELERLFWKGSPQYTHVNEVWPKLYIGDEATA LDRYRLQKAGFTHVLNAAHGRWNVDTGPDYYRDMDIQYHGVEADDLPTFDLSVFFYPAAAFIDRALSDDH SKILVHCVMGRSRSATLVLAYLMIHKDMTLVDAIQQVAKNRCVLPNRGFLKQLRELDKQLVQQRRRSQRQ DGEEEDGREL


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6493">https://cdn.origene.com/chromatograms/mk6493</a> e09.zip

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001003892

ORF Size: 660 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Plasmids are not sterile. For experiments where strict sterility is required, filtration with Note:

0.22um filter is required.

RefSeq: NM 001003892.2

RefSeq Size: 663 bp RefSeq ORF: 663 bp Locus ID: 338599 **UniProt ID:** Q68|44 Cytogenetics: 10q22.2

**Protein Families:** Phosphatase


MW: 25.2 kDa

**Gene Summary:** Dual specificity phosphatase able to dephosphorylate phosphotyrosine, phosphoserine and

phosphothreonine residues, with a preference for phosphotyrosine as a substrate.


[UniProtKB/Swiss-Prot Function]


### **Product images:**




Circular map for RC214361









HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY DUPD1 (Cat# RC214361, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DUPD1(Cat# [TA502080]). Positive lysates [LY424030] (100ug) and [LC424030] (20ug) can be purchased separately from OriGene.

Western blot validation of overexpression lysate (Cat# [LY424030]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC214361 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified DUPD1 protein (Cat# [TP314361]). The protein was produced from HEK293T cells transfected with DUPD1 cDNA clone (Cat# RC214361) using MegaTran 2.0 (Cat# [TT210002]).