

Product datasheet for RC214376

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL1RA (IL1RN) (NM_173841) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL1RA (IL1RN) (NM_173841) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: IL1RA

Synonyms: DIRA; ICIL-1RA; IL-1ra; IL-1ra3; IL-1RN; IL1F3; IL1RA; IRAP; MVCD4

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC214376 representing NM_173841

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGCCTGACGAAGGCGTCATGGTCACCAAATTCTACTTCCAGGAGGACGAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC214376 representing NM_173841

Red=Cloning site Green=Tags(s)

MALADLYEEGGGGGGEGEDNADSKETICRPSGRKSSKMQAFRIWDVNQKTFYLRNNQLVAGYLQGPNVNL EEKIDVVPIEPHALFLGIHGGKMCLSCVKSGDETRLQLEAVNITDLSENRKQDKRFAFIRSDSGPTTSFE

SAACPGWFLCTAMEADQPVSLTNMPDEGVMVTKFYFQEDE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6097 e09.zip






Restriction Sites:

Sgfl-Mlul

Cloning Scheme:



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_173841

ORF Size: 540 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



RefSeq: <u>NM 173841.3</u>

 RefSeq Size:
 1865 bp

 RefSeq ORF:
 543 bp

 Locus ID:
 3557

 UniProt ID:
 P18510

 Cytogenetics:
 2q14.1

Protein Families: Druggable Genome, Secreted Protein


MW: 19.7 kDa

Gene Summary: The protein encoded by this gene is a member of the interleukin 1 cytokine family. This

protein inhibits the activities of interleukin 1, alpha (IL1A) and interleukin 1, beta (IL1B), and modulates a variety of interleukin 1 related immune and inflammatory responses, particularly in the acute phase of infection and inflammation. This gene and five other closely related cytokine genes form a gene cluster spanning approximately 400 kb on chromosome 2. A polymorphism of this gene is reported to be associated with increased risk of osteoporotic fractures and gastric cancer. Several alternatively spliced transcript variants encoding distinct


isoforms have been reported. [provided by RefSeq, Aug 2020]

Product images:



Circular map for RC214376





Western blot validation of overexpression lysate (Cat# [LY406440]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC214376 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).