

## Product datasheet for RC214400

### Metabotropic Glutamate Receptor 1 (GRM1) (NM\_000838) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Metabotropic Glutamate Receptor 1 (GRM1) (NM_000838) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Metabotropic Glutamate Receptor 1
Synonyms:	GPRC1A; GRM1A; mGlu1; MGLUR1; MGLUR1A; SCAR13
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC214400 representing NM_000838 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC

ATGGTCGGGCTCCTTTTGTTTTTTTTCCAGCGATCTTTTTGGAGGTGTCCCTTCTCCCCAGAAGCCCCG  
GCAGGAAAGTGTGCTGGCAGGAGCGTCGTCAGCGCTCGGTGGCCAGAATGGACGGAGATGTCATCAT  
TGGAGCCCTCTTCTCAGTCCATCACCAGCCTCCGGCCGAGAAAGTGCCCGAGAGGAAGTGTGGGAGATC  
AGGGAGCAGTATGGCATCCAGAGGGTGGAGGCCATGTTCCACACGTTGGATAAGATCAACCGGACCCGG  
TCCTCCTGCCAACATCACCTGGGCAGTGAGATCCGGGACTCCTGCTGGCACTTCTCCGTGGCTCTGGA  
ACAGAGCATTGAGTTCATTAGGGACTCTCTGATTTCCATTTCGAGATGAGAAGGATGGGATCAACCGGTG  
CTGCTGACGGCCAGTCCCTCCCCCAGGCAGGACTAAGAAGCCATTGCGGGAGTGATCCGTCCCGGCT  
CCAGCTCTGTAGCCATTCAAGTGCAGAACCTGCTCCAGCTCTTCGACATCCCCCAGATCGTTATTCAGC  
CACAAGCATCGACCTGAGTGACAAAACCTTTGTACAAAATACTTCTGAGGGTTGTCCCTTCTGACACTTTG  
CAGGCAAGGGCCATGCTTGACATAGTCAAACGTTACAATTGGACATATGTCTCTGCAGTCCACACGGAAG  
GGAATTATGGGGAGAGCGGAATGGACGCTTTCAAAGAGCTGGCTGCCAGGAAGGCTCTGTATCGCCCA  
TTCTGACAAAATCTACAGCAACGCTGGGAGAAGAGCTTTGACCGACTCTTGCGAAAACCTCCGAGAGAGG  
CTTCCCAAGGCTAGAGTGGTGGTCTGCTTCTGTGAAGGCATGACAGTGGCAGGACTCCTGAGCGCCATGC  
GGCGCTTGGCGTCGTGGGCGAGTCTCACTCATTGGAAGTGATGGATGGGCAGACAGAGATGAAGTCAT  
TGAAGGTTATGAGGTGGAAGCCAACGGGGGAATCACGATAAAGCTGCAGTCTCCAGAGGTCAGGTCATTT  
GATGATTATTTCTGAAACTGAGGCTGGACACTAACACGAGGAATCCCTGGTTCCCTGAGTCTGGCAAC  
ATCGGTTCCAGTGCCGCTTCCAGGACACCTTCTGGAAAATCCCAACTTTAAACGAATCTGCACAGGCAA  
TGAAAGCTTAGAAGAAAATATGTCCAGGACAGTAAGATGGGGTTTGTCAATGCCATCTATGCCATG  
GCATATGGGCTGCAGAACATGCACCATGCCCTCTGCCCTGGCCACGTGGGCTCTGCGATGCCATGAAGC  
CCATCGACGGCAGCAAGCTGCTGGACTTCTCATCAAGTCCTCATTGAGGATCTGGAGAGGAGGT  
GTGGTTTATGAGAAAGGAGACGCTCCTGGAAGGTATGATATCATGAATCTGCAGTACACTGAAGCTAAT



[View online »](#)

CGCTATGACTATGTGCACGTTGGAACCTGGCATGAAGGAGTGCTGAACATTGATGATTACAAAATCCAGA  
TGAACAAGAGTGGAGTGGTGCAGTGTGAGCCTTGCTTAAAGGGCCAGATTAAGGTTATACG  
GAAAGGAGAAGTGAAGTGGTGGATTTGCACGGCCTGCAAAGAGAATGAATATGTGCAAGATGAGTTC  
ACCTGCAAAGCTTGTGACTTGGGATGGTGGCCCAATGCAGATCTAACAGGCTGTGAGCCCATTCTGTGC  
GCTATCTTGAGTGGAGCAACATCGAATCCATTATAGCCATCGCCTTTTCATGCCTGGGAATCCTTGTAC  
CTTGTTTGTACACCTAATCTTTGTACTGTACCGGGACACACCAGTGGTCAAATCCTCCAGTCGGGAGCTC  
TGCTACATCATCCTAGCTGGCATCTTCTTGGTTATGTGTGCCATTCACTCTCATTGCCAAACCTACTA  
CCACCTCCTGCTACCTCCAGCGCCTCTTGGTTGGCCTCTCCTCTGCGATGTGCTACTCTGCTTTAGTGAC  
TAAAACCAATCGTATTGCACGCATCCTGGCTGGCAGCAAGAAGAAGATCTGCACCCGGAAGCCCAGGTTT  
ATGAGTGCCTGGGCTCAGGTGATCATTGCCTCAATTCTGATTAGTGTGCAACTAACCCCTGGTGGTAACCC  
TGATCATCATGGAACCCCTATGCCATTCTGTCTACCCAAGTATCAAGGAAGTCTACCTTATCTGCAA  
TACCAGCAACCTGGGTGTGGTGGCCCTTTGGGCTACAATGGACTCCTCATCATGAGCTGTACCTACTAT  
GCCTTCAAGACCCGCAACGTGCCCGCAACTTCAACGAGGCCAAATATATCGCGTTCACCATGTACACCA  
CCTGTATCATCTGGCTAGCTTTTGTGCCATTTACTTTGGGAGCAACTACAAGATCATCACAACCTGCTT  
TGCAGTGAGTCTCAGTGAACAGTGGCTCTGGGTGCATGTTCACTCCCAAGATGTACATCATTATTGCC  
AAGCCTGAGAGGAATGTCCGCGAGTGCCTTCAACCCTCTGATGTTGTCCGCGATGCATGTTGGCGATTGGCA  
AGCTGCCCTGCCGCTCCAACTTTCTCAACATCTTCCGAAGAAGAAGGCAGGGGCAGGGAATGCCAA  
TTCTAATGGCAAGTCTGTGTATGGTCTGAACCAGGTGGAGGACAGGTGCCCAAGGGACAGCATATGTGG  
CACCGCCTCTCTGTGCACGTGAAGACCAATGAGACGGCCTGCAACCAAACAGCCGTATCAAGCCCTCA  
CTAAAAGTTACCAAGGCTCTGGCAAGAGCCTGACCTTTTTCAGATACCAGCACCAAGACCCCTTACAACGT  
AGAGGAGGAGGAGGATGCCAGCCGATTTCGCTTTAGCCCGCCTGGTAGCCCTTCCATGGTGGTGCACAGG  
CGCGTGCCAAGCGCGGCGACCACTCCGCCTCTGCCGTCCCACCTGACCGCAGAGGAGACCCCTCTTCC  
TGGCCGAACCAAGCCCTCCCAAGGGCTTGGCCCTCTCTCCAGCAGCAGCAGCAACCCCTCCACAGCA  
GAAATCGCTGATGGACCAGCTCCAGGGAGTGGTCAAGCAACTTCACTACCGCGATCCCGGATTTTCACGCG  
GTGCTGGCAGGCCCGGGGTCCCGGGAACGGGCTGCGGTCCCTGTACCCGCCCCGCCACCTCCGCGAGC  
ACCTGCAGATGCTGCCGCTGCAGCTGAGCACCTTTGGGAGGAGTGGTCTCCCGCCCGCGGACGACGA  
CGACGACAGCGAGAGGTTAAGCTCCTCCAGGAGTACGTGTATGAGCACGAGCGGGAAGGGAACACGGAA  
GAAGACGAACTGGAAGAGGAGGAGGAGGACCTGCAGGCGGCCAGCAAACCTGACCCCGGATGATTGCGCTG  
CGCTGACGCTCCGTCGCCTTTCCGCGACTCGGTGGCCTCGGGCAGCTCGGTGCCAGCTCCCCGTGTC  
CGAGTCGGTGCTCTGCACCCCTCCAACGTATCCTACGCCTCTGTATTCTGCGGGACTACAAGCAAAGC  
TCTTCCACCCTG

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC214400 representing NM\_000838  
 Red=Cloning site Green=Tags(s)

```

MVGLLLFFFPALFLEVSLLPRSPGRKVLLAGASSQRSVARMDGDVIIGALFSVHHQPPAEKVPERKCGEI
REQYGIQRVEAMFHTLDKINADPVLLPNITLGEIRDSCWHSSVALEQSIEFIRDLSLIRDEKDGINRC
LPDGQSLPPGRTKKPIAGVIGPGSSVAIQVQNLQLFDIPQIAYSATSIDLSDKTLKYFLRVVPSDTL
QARAMLDIVKRYNWTYVSAVHTEGNYGESGMDAFKELAAQEGLCIAHSDKIYSNAGEKSFDRLLRKLRR
LPKARVVVCFCEGTVRGLLSAMRRLGVVGEFSLIGSDGWADRDEVIIEGYEVEANGGITIKLQSPEVRSF
DDYFLKLRDLTNRNPFPEFWQHRFQCRLPGHLLNPNFKRICTGNESLEENYVQDSKMGFVINAIYAM
AHGLQNMHHALCPGHVGLCDAMKPIDGSKLLDFLIKSSFIVSGEEVWFDEKGDAPGRYDIMNLQYTEAN
RYDYVHVGTWHEGVLNIDYKIQMNKSGVVRVCSEPCCLKQIKVIRKGEVSCCWICTACKENEYVQDEF
TCKACDLGWPNADLTGCEPIPVRYLEWSNIESIIAIAFSCLGILVTLFVTLIFVLYRDPVVKSSSREL
CYIILAGIFLGYVCPFTLIAKPTTSCYLQRLVGLSSAMCYSALVTKNRIARILAGSKKIKTRKPRF
MSAWAQVIIASILISVQLTLVTLIIMEPPMPILSYPSIKEVYLICNTSNLGVVAPLGYNGLLIMSCYY
AFKTRNVPANFNEAKYIAFTMYTTCIIWLA FVPIYFGSNYKIITTCFAVSLSVTVALGCMF TPKMYIIIA
KPERNVRSFAFTTSDVVRMHVGDGKLPSCRNTFLNIFRRKKAGAGNANSNGKSVSWSEPPGGQVPGQHMM
HRLSVHVKTNETACNQTAVIKPLTKSYQGSGKSLTFSDTSTKTLYNVEEEEDAQPIRFSPPGSPSMVHR
RVPAAATTPPLPSHLTAEETPLFLAEPALPKGLPPPLQQQQPPPPQKSLMDQLQGVVSNFSTAIPDFHA
VLGAPGGPGNGLRSLYPPPPPPQHLQMLPLQLSTFGEELVSPPADDDDDSERFKLLQEYVYEHHEREGNT
EDELEEEEDLQAASKLTPDDSPALTPSPFRDVSASGSSVSPVSESVLCTPPNVSYASVILRDYKQS
SSTL
  
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_000838

**ORF Size:** 3582 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_000838.3](#)

**RefSeq Size:** 6619 bp

**RefSeq ORF:** 3584 bp

**Locus ID:** 2911

**Cytogenetics:** 6q24.3

**Domains:** 7tm\_3, ANF\_receptor


**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Calcium signaling pathway, Gap junction, Long-term depression, Long-term potentiation, Neuroactive ligand-receptor interaction

**MW:** 132.36 kDa

**Gene Summary:**

This gene encodes a metabotropic glutamate receptor that functions by activating phospholipase C. L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and metabotropic glutamate receptors. Glutamatergic neurotransmission is involved in most aspects of normal brain function and can be perturbed in many neuropathologic conditions. The canonical alpha isoform of the encoded protein is a disulfide-linked homodimer whose activity is mediated by a G-protein-coupled phosphatidylinositol-calcium second messenger system. This gene may be associated with many disease states, including schizophrenia, bipolar disorder, depression, and breast cancer. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, May 2013]

**Product images:**


Circular map for RC214400



Western blot validation of overexpression lysate (Cat# [LY400304]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC214400 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).