

## Product datasheet for RC214570L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## BAIAP2 (NM\_006340) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** BAIAP2 (NM\_006340) Human Tagged ORF Clone Lentiviral Particle

Symbol: BAIAP2

Synonyms: BAP2; FLAF3; IRSP53; WAML

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_006340 **ORF Size:** 1560 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC214570).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 006340.1</u>

 RefSeq Size:
 2129 bp

 RefSeq ORF:
 1563 bp

 Locus ID:
 10458

 UniProt ID:
 Q9UQB8

 Cytogenetics:
 17q25.3

 Domains:
 SH3

**Protein Families:** Druggable Genome





## BAIAP2 (NM\_006340) Human Tagged ORF Clone Lentiviral Particle - RC214570L2V

**Protein Pathways:** Adherens junction, Regulation of actin cytoskeleton

**MW:** 57.3 kDa

**Gene Summary:** The protein encoded by this gene has been identified as a brain-specific angiogenesis

inhibitor (BAI1)-binding protein. This adaptor protein links membrane bound G-proteins to cytoplasmic effector proteins. This protein functions as an insulin receptor tyrosine kinase substrate and suggests a role for insulin in the central nervous system. It also associates with a downstream effector of Rho small G proteins, which is associated with the formation of stress fibers and cytokinesis. This protein is involved in lamellipodia and filopodia formation in motile cells and may affect neuronal growth-cone guidance. This protein has also been identified as interacting with the dentatorubral-pallidoluysian atrophy gene, which is associated with an autosomal dominant neurodegenerative disease. Alternative splicing results in multiple transcript variants encoding distinct isoforms.[provided by RefSeq, Jan

2009]