

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC214724L4V

SRP68 (NM_014230) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	SRP68 (NM_014230) Human Tagged ORF Clone Lentiviral Particle
Symbol:	SRP68
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_014230
ORF Size:	1881 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC214724).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 014230.2</u>
RefSeq Size:	2515 bp
RefSeq ORF:	1884 bp
Locus ID:	6730
UniProt ID:	Q9UHB9
Cytogenetics:	17q25.1
Protein Pathways:	Protein export
MW:	70.5 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a subunit of the signal recognition particle (SRP). The SRP is a
ribonucleoprotein complex that transports secreted and membrane proteins to the
endoplasmic reticulum for processing. The complex includes a 7S RNA and six protein
subunits. The encoded protein is the 68kDa component of the SRP, and forms a heterodimer
with the 72kDa subunit that is required for SRP function. Alternatively spliced transcript
variants encoding multiple isoforms have been observed for this gene, and three
pseudogenes of this gene are located within the Smith-Magenis syndrome region on
chromosome 17. [provided by RefSeq, May 2012]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US