

Product datasheet for RC214845

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

prothymosin, alpha (PTMA) (NM_001099285) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: prothymosin, alpha (PTMA) (NM 001099285) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: prothymosin, alpha

Synonyms: TMSA

Mammalian Cell Neomycin

Selection:

Vector:

pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC214845 representing NM_001099285
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGATGAGGATGACGATGTCGATACCAAGAAGCAGAAGACCGACGAGGATGAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC214845 representing NM_001099285

Red=Cloning site Green=Tags(s)

MSDAAVDTSSEITTKDLKEKKEVVEEAENGRDAPANGNAENEENGEQEADNEVDEEEEEGGEEEEEEEG

DGEEEDGDEDEEAESATGKRAAEDDEDDDVDTKKQKTDEDD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001099285

ORF Size: 333 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 001099285.2

RefSeq Size: 1223 bp



 RefSeq ORF:
 336 bp

 Locus ID:
 5757

 UniProt ID:
 P06454

 Cytogenetics:
 2q37.1


Protein Families: Druggable Genome, Stem cell - Pluripotency, Transcription Factors

MW: 12.2 kDa

Gene Summary: Prothymosin alpha may mediate immune function by conferring resistance to certain

opportunistic infections.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC214845