

## Product datasheet for RC214914L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HNF 4 alpha (HNF4A) (NM 178849) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** HNF 4 alpha (HNF4A) (NM\_178849) Human Tagged ORF Clone Lentiviral Particle

Symbol: HNF 4 alpha

Synonyms: FRTS4; HNF4; HNF4a7; HNF4a8; HNF4a9; HNF4alpha; MODY; MODY1; NR2A1; NR2A21; TCF;

TCF-14; TCF14

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_178849

ORF Size: 1392 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC214914).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 178849.2</u>

RefSeq Size:4707 bpRefSeq ORF:1395 bpLocus ID:3172

Cytogenetics: 20q13.12

**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Nuclear Hormone Receptor, Transcription

**Factors** 

**Protein Pathways:** Maturity onset diabetes of the young






MW:

51.6 kDa

**Gene Summary:** 

The protein encoded by this gene is a nuclear transcription factor which binds DNA as a homodimer. The encoded protein controls the expression of several genes, including hepatocyte nuclear factor 1 alpha, a transcription factor which regulates the expression of several hepatic genes. This gene may play a role in development of the liver, kidney, and intestines. Mutations in this gene have been associated with monogenic autosomal dominant non-insulin-dependent diabetes mellitus type I. Alternative splicing of this gene results in multiple transcript variants encoding several different isoforms. [provided by RefSeq, Apr 2012]

## **Product images:**



[RC214914L3] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC214914L3V particle to overexpress human HNF4A-Myc-DDK fusion protein.