

Product datasheet for **RC214941**

ZNF665 (NM_024733) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Myc-DDK
Symbol:	ZNF665
Synonyms:	ZFP160L
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



ORF Nucleotide Sequence: >RC214941 ORF sequence, **codon optimized**.
Due to the complexity of NM_024733, the ORF clone is codon optimized for mammalian Expression.
The nucleotide sequence differs from the reference sequence, yet the amino acid sequence remains identical.

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGGCGCTGCCGCAGGGTCAGCTTACTTTCAAAGACGTCGCCATTGAATTTTCTCAGGAAGAATGGACCT
GGCTGGATCCTGCACAAAAGACGTTGTACAGAGATGTGATGCTTGAAAACATATCGGAATCTTGCTCTCCTT
GGATATCAGTTGCAAAATGTGTCAACACAGACTTGCCCCCTAAGGGCAAGAACAACATGGGTGAGGCCTTT
TACACCGTAAAGTTGGAGAGACTTGAGTCTTGACACCGCCGGGCTCTCATTTCAGAGGTCCAAAAA
ACACCTACGACTTTGAATGTCAAGTGAAGATGACGAGGGCAATTACAAAACCGTCTCATGCTGCAGAA
GGAAAACTGCCTGGTCGACGCGCAGCGCGATCGGGCGCGCCGCCGAAACCGACATATTGAAAATCAG
CTTGGAGTAAGCTTTCAATCTCATCTCCCAGAGCTGCAGCAGTTTCAGCGAGAAGGCAAGATATATGAGT
ATAACCAAGTTGAGAAGTCACCAACAACAGAGGGAAGCATTACAAATGCGATGAGTGCGGTAAAGTATT
CTCTCAGAATAGCAGACTGACCAAGTCACAAACGCATTCACTGGCGAAAAGCCTTACCAATGTAACAAG
TGTGGGAAGGCTTTTACCGTCCGACGTAACCTGACCATTCACAGGTGATCCACACCGCGGCAAAAGCCCT
ATAAGTGAACGAATGTGGAAAGTGTTCACAGCCTTCAAACCTTGCTGGCCATCAGCGCATCCATAC
TGGGGAGAAACCTTATAAGTGAATGAGTGTGGAAGGCTTCCGGGCTCACTCCAAGCTCACCAACCCAC
CAGGTCACTCACACGGGAGAAAAGCCATATAAATGCAAGGAATGTGGCAAGTGTTCACCCAAAACCTCTC
ACCTGGCTTCCACAGAAGAATTCACACTGGCGAAAAACCTACAAGTGAACGAGTGCGGCAAAAGCCTT
CAGCGTGCGATCTCTCTTACAACCATCAGACAATTCATACAGGTGAGAAACCTACAAGTGAACGAA
TGCGGAAAAGTTTTAGACATAATTCATATTGGCTAAACATAGGAGGATCCACACTGGAGAAAAGCCTT
ATAAATGCAACGAGTGTGTAAGGCTTTTCTATGCATTCTAACCTGACCAAGCATCAGATTATACACAC
TGGGGAGAAACCATTCAAATGTAACGAGTGCGTGAAGGTGTTACACAAATATTCCTCTTGCTAATCAT
CGGCGGATCCACACTGGAGAGAAGCCCTATCGGTGTGATGAGTGCGGCAAGGCATTCTGTCCGAAGCT
CTCTGACTACACATCAAGCCATTACACCGGCGAAAAACCTACAATGTAACGACTGTGGCAAGGTGTT
TACCCAAAACCTCTCATCTGGCAAGCCACAGGGGAATCCACTCCGGCGAGAAGCCGTACAAGTGCGACGAG
TGCGGAAAAGCCTTTTCTCAGACCTCCAGCTGGCCCGGCACTGGAGAGTGCATACAGGGGAAAAACCTT
ATAAGTGAATGAATGTGGCAAGCTTTCTCAGTTCACAGTAGCCTGACTATCCATCAAACCTATACACAC
TGGACAGAAACCTATAAGTGAACGATTGTGGCAAGTGTTCGCCACAATTCCTACTTGGCAATCCAC
CAGCGCATCCACACTGGCGAAAAGCCCTACAAATGCAATGAGTGCGGCAAGGCTTTCTCCGTCCACTCTA
ATTTGGCTACACACCAAGTAATTCATACCGGCGAAAAACCTATAAGTGAACGAGTGTTGGGAAAGTTTT
CACCCAGAACTCTCACCTCGCAACCAACCGCCGATTATACGGGCGAGAAACCTATCGATGCAATGAG
TGTGGCAAGCCTTTTCAAGTAAAGGACACACTGACCACACATGGCTATCCACACTGGAGACAAACCT
ACAAGTGAACCAATGTGTAAGGTCTTCACTCAAAACAGCAATCTGGCTAAACATAGAAGGATCCACTC
AGGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC214941 representing NM_024733
 Red=Cloning site Green=Tags(s)


MALPQGQLTFKDVAIEFSQEEWTCLDPAQKTLYRDVMLENYRNLVSLDISCKCVNTDLPKKGNNMGEAF
 YTVKLERLESCDTAGLSFQEVQKNTYDFECQWKDEGNYKTVLMLQKENLPGRRAQRDRRAAGNRHIENQ
 LGVSFQSHLPELQQFQREGKIYEYNQVEKSPNNRGKHYKCDECGKVSQNSRLTSHKRIHTGEKPYQCNK
 CGKAFTVRSNLTIHQVIHTGEKPYKCNECGKVSQPSNLAGHQRIHTGEKPYKCNECGKAFRAHSLTTH
 QVIHTGEKPYKCKEKGKFTQNSHLASHRRIHTGEKPYKCNECGKAFSVRSSLTTHQTIHTGEKPYKCNE
 CGKVFRRHNSYLAHHRRIHTGEKPYKCNECGKAFSMHSNLTQHIIHTGEKPFKNECVKVFQYSHLANH
 RRIHTGEKPYRCDECGKAFSVRSSLTTHQAIHTGEKPYKNCDCGKVFQNSHLASHRGIHSGEKPYKCDE
 CGKAFSQTSQARHWRVHTGEKPYKCNECGKAFSVHSSLTIHQTIHTGQKPYKNCDCGKVFRRHNSYLAH
 QRIHTGEKPYKCNECGKAFSVHNSLATHQVIHTGEKPYKCNECGKVFQNSHLANHHRRIHTGEKPYRCNE
 CGKAFSVRSTLTTHMAIHTGDKPYKNCQCGKVFQNSNLAHHRRIHSG

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_024733

ORF Size: 2034 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_024733.2</u> , <u>NM_024733.3</u> , <u>NP_079009.2</u>
RefSeq Size:	4158 bp
RefSeq ORF:	2037 bp
Locus ID:	79788
UniProt ID:	<u>Q9H7R5</u>
Cytogenetics:	19q13.42
Domains:	zf-C2H2
MW:	77.6 kDa
Gene Summary:	May be involved in transcriptional regulation.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC214941