

Product datasheet for RC215011L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SAP1 (PTPRH) (NM_002842) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SAP1 (PTPRH) (NM_002842) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: SAP1

Synonyms: R-PTP-H; SAP1

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC215011).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_002842

ORF Size: 3345 bp



SAP1 (PTPRH) (NM_002842) Human Tagged Lenti ORF Clone - RC215011L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002842.2</u>

 RefSeq Size:
 3895 bp

 RefSeq ORF:
 3348 bp

 Locus ID:
 5794

UniProt ID: Q9HD43

Cytogenetics: 19q13.42

Protein Families: Druggable Genome, Transmembrane

MW: 122.2 kDa

Gene Summary: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP)

family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP

possesses an extracellular region, a single transmembrane region, and a single


intracytoplasmic catalytic domain, and thus represents a receptor-type PTP. The extracellular region contains eight fibronectin type III-like repeats and multiple N-glycosylation sites. The gene was shown to be expressed primarily in brain and liver, and at a lower level in heart and

stomach. It was also found to be expressed in several cancer cell lines, but not in the corresponding normal tissues. Alternative splicing results in multiple transcript variants.


[provided by RefSeq, Jun 2009]



Product images:



Circular map for RC215011L1



Double digestion of RC215011L1 using Sgfl and Mlul $\,$