

Product datasheet for RC215023L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IRE1 (ERN1) (NM_001433) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: IRE1 (ERN1) (NM_001433) Human Tagged ORF Clone Lentiviral Particle

Symbol: ERN1

Synonyms: hIRE1p; IRE1; IRE1a; IRE1P

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001433 **ORF Size:** 2931 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215023).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001433.2

 RefSeq Size:
 3620 bp

 RefSeq ORF:
 2934 bp

 Locus ID:
 2081

 UniProt ID:
 075460

 Cytogenetics:
 17q23.3

Domains: pkinase, TyrKc, S_TKc, PQQ, PUG **Protein Families:** Protein Kinase, Transmembrane





Protein Pathways: Alzheimer's disease

MW: 109.6 kDa

Gene Summary: This gene encodes the transmembrane protein kinase inositol-requiring enzyme 1. The

encoded protein contains two functional catalytic domains, a serine/threonine-protein kinase domain and an endoribonuclease domain. This protein functions as a sensor of unfolded proteins in the endoplasmic reticulum (ER) and triggers an intracellular signaling pathway termed the unfolded protein response (UPR). The UPR is an ER stress response that is conserved from yeast to mammals and activates genes involved in degrading misfolded proteins, regulating protein synthesis and activating molecular chaperones. This protein specifically mediates the splicing and activation of the stress response transcription factor X-

box binding protein 1. [provided by RefSeq, Aug 2017]