

Product datasheet for RC215094L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PXR (NR1I2) (NM_033013) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PXR (NR1I2) (NM_033013) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: PXR

Synonyms: BXR; ONR1; PAR; PAR1; PAR2; PARq; PRR; PXR; SAR; SXR

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC215094).

Sequence:

equence.
estriction Sites: Sgfl-Mlul

Restriction Sites: Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_033013

ORF Size: 1191 bp



PXR (NR1I2) (NM_033013) Human Tagged Lenti ORF Clone - RC215094L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 033013.1, NP 148934.1

RefSeq Size:4335 bpRefSeq ORF:1194 bp

Locus ID: 8856

 UniProt ID:
 O75469

 Cytogenetics:
 3q13.33

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

MW: 45.6 kDa


Gene Summary: This gene product belongs to the nuclear receptor superfamily, members of which are

transcription factors characterized by a ligand-binding domain and a DNA-binding domain. The encoded protein is a transcriptional regulator of the cytochrome P450 gene CYP3A4, binding to the response element of the CYP3A4 promoter as a heterodimer with the 9-cis retinoic acid receptor RXR. It is activated by a range of compounds that induce CYP3A4, including dexamethasone and rifampicin. Several alternatively spliced transcripts encoding different isoforms, some of which use non-AUG (CUG) translation initiation codon, have been described for this gene. Additional transcript variants exist, however, they have not been fully

characterized. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC215094L4