

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC215094L4V

PXR (NR1I2) (NM_033013) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	PXR (NR1I2) (NM_033013) Human Tagged ORF Clone Lentiviral Particle
Symbol:	PXR
Synonyms:	BXR; ONR1; PAR; PAR1; PAR2; PARq; PRR; PXR; SAR; SXR
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_033013
ORF Size:	1191 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215094).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 033013.1, NP 148934.1</u>
RefSeq Size:	4335 bp
RefSeq ORF:	1194 bp
Locus ID:	8856
UniProt ID:	<u>075469</u>
Cytogenetics:	3q13.33
Protein Families:	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors
MW:	45.6 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



PXR (NR1I2) (NM_033013) Human Tagged ORF Clone Lentiviral Particle – RC215094L4V

Gene Summary:This gene product belongs to the nuclear receptor superfamily, members of which are
transcription factors characterized by a ligand-binding domain and a DNA-binding domain.
The encoded protein is a transcriptional regulator of the cytochrome P450 gene CYP3A4,
binding to the response element of the CYP3A4 promoter as a heterodimer with the 9-cis
retinoic acid receptor RXR. It is activated by a range of compounds that induce CYP3A4,
including dexamethasone and rifampicin. Several alternatively spliced transcripts encoding
different isoforms, some of which use non-AUG (CUG) translation initiation codon, have been
described for this gene. Additional transcript variants exist, however, they have not been fully
characterized. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US