

Product datasheet for **RC215135**

MRPL10 (NM_148887) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MRPL10 (NM_148887) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MRPL10
Synonyms:	L10MT; MRP-L8; MRP-L10; MRPL8; RPML8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC215135 representing NM_148887 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGATCTCGGCTCACTGCAACCTCCACCTCCCGGGTTCAAGCGATTCTCCTGCCTCAGCCTCTCAAGTAG
CTGGGATTACAGGCCGGCTGCCTACCCTCCAGACTGTCCGCTATGGCTCCAAGGCTGTTACCCGCCACCG
TCGTGTGATGCACTTTCAGCGGCAGAAGCTGATGGCTGTGACTGAATATATCCCCCGAAACCAGCCATC
CACCCATCATGCCTGCCATCTCCTCCAGCCCCCACAGGAGGAGATAGGCCTCATCAGGCTTCTCCGCC
GGGAGATAGCAGCAGTTTTCCAGGACAACCGAATGATAGCCGTCTGCCAGAATGTGGCTCTGAGTGCAGA
GGACAAGCTTCTTATGCGACACCAGCTGCGGAAACACAAGATCCTGATGAAGGTCTTCCCAACCAGGTC
CTGAAGCCCTTCTGGAGGATCCAAGTACCAAAATCTGCTGCCCTTTTTGTGGGGCACAACATGCTGC
TGGTCAGTGAAGAGCCCAAGGTCAAGGAGATGGTACGGATCTTAAGGACTGTGCCATTCTGCCGCTGCT
AGGTGGCTGCATTGATGACACCATCCTCAGCAGGCAGGGCTTTATCAACTACTCCAAGCTCCCCAGCCTG
CCCCTGGTGCAGGGGGAGCTTGTAGGAGCCTCACCTGCCTCACAGCCCAGACCCACTCCCTGCTCCAGC
ACCAGCCCCTCCAGCTGACCACCCTGTTGGACCACTACATCAGAGAGCAACGCGAGAAGGATTCTGTCAT
GTCGGCCAATGGGAAGCCAGATCCTGACACTGTTCCGGACTCG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC215135 representing NM_148887
Red=Cloning site Green=Tags(s)

MISAHCNLHLPGSSDSPASASQVAGITGRPLTLQTVRYGSKAVTRHRRVMHFQRQKLMVTEYIPKPAI
 HPSCLPSPSPPPQEEIGLIRLLRREIAAVFQDNRMIAVCQNVALSAEDKLLMRHQLRKHKILMKVFPNQV
 LKPFLEDSKYQNLPLFVGHNMLLVSEEPKVKEMVRILRTVPFLPLLGGCIDDITLSRQGFINYSKLPSL
 PLVQGELVGGLTCLTAQTHSLLQHQPQLQLTTLLDQYIREQREKDSVMSANGKPPDPTVPDS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8048_d09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_148887

ORF Size: 813 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_148887.3](#)

RefSeq Size: 1848 bp

RefSeq ORF: 816 bp

Locus ID: 124995


UniProt ID: [Q7Z7H8](#)

Cytogenetics: 17q21.32

MW: 30.8 kDa

Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Sequence analysis identified three transcript variants that encode two different isoforms. A pseudogene corresponding to this gene is found on chromosome 5q. [provided by RefSeq, Nov 2010]

Product images:



Circular map for RC215135