

Product datasheet for RC215158L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

EGLN1 (NM_022051) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: EGLN1 (NM_022051) Human Tagged ORF Clone Lentiviral Particle

Symbol: EGLN1

Synonyms: C1orf12; ECYT3; HALAH; HIF-PH2; HIFPH2; HPH-2; HPH2; PHD2; SM20; ZMYND6

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_022051 **ORF Size:** 1278 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215158).

Sequence:

Cytogenetics:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 022051.1

 RefSeq Size:
 7102 bp

 RefSeq ORF:
 1281 bp

 Locus ID:
 54583

 UniProt ID:
 Q9GZT9

Domains: zf-MYND, 2OG-Fell_Oxy, P4Hc

Protein Pathways: Pathways in cancer, Renal cell carcinoma

1q42.2





EGLN1 (NM_022051) Human Tagged ORF Clone Lentiviral Particle - RC215158L4V

MW: 46.5 kDa

Gene Summary: The protein encoded by this gene catalyzes the post-translational formation of 4-

hydroxyproline in hypoxia-inducible factor (HIF) alpha proteins. HIF is a transcriptional complex that plays a central role in mammalian oxygen homeostasis. This protein functions as a cellular oxygen sensor, and under normal oxygen concentration, modification by prolyl hydroxylation is a key regulatory event that targets HIF subunits for proteasomal destruction via the von Hippel-Lindau ubiquitylation complex. Mutations in this gene are associated with erythrocytosis familial type 3 (ECYT3). [provided by RefSeq, Nov 2009]