

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC215185L3V

RGS11 (NM_183337) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	RGS11 (NM_183337) Human Tagged ORF Clone Lentiviral Particle
Symbol:	RGS11
Synonyms:	RS11
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_183337
ORF Size:	1401 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215185).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 183337.1</u>
RefSeq Size:	2373 bp
RefSeq ORF:	1404 bp
Locus ID:	8786
UniProt ID:	<u>O94810</u>
Cytogenetics:	16p13.3
Protein Families:	Druggable Genome
MW:	52.8 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The protein encoded by this gene belongs to the RGS (regulator of G protein signaling) family.
Members of the RGS family act as GTPase-activating proteins on the alpha subunits of
heterotrimeric, signal-transducing G proteins. This protein inhibits signal transduction by
increasing the GTPase activity of G protein alpha subunits, thereby driving them into their
inactive GDP-bound form. Alternative splicing occurs at this locus and four transcript variants
encoding distinct isoforms have been identified. [provided by RefSeq, Nov 2013]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US