

Product datasheet for RC215187

OR5A1 (NM_001004728) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | OR5A1 (NM_001004728) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | OR5A1 |
| Synonyms: | OR5A1P; OR11-249; OST181 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| ORF Nucleotide Sequence: | >RC215187 representing NM_001004728 Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGTCCATAACCAAAGCCTGGAACAGCTCATCAGTGACCATGTTTCATCCTCCTGGGATTCACAGACCATC
CAGAACTCCAGGCCCTCCTTTTGTGACCTTCTGGGCATCTATCTTACCACCCTGGCCTGGAACCTGGC
CCTCATTTTTCTGATCAGAGGTGACACCCATCTGCACACCCATGTACTTCTTCTAAGCAACTTATCT
TTCATTGACATCTGCTACTCTTCTGCTGTGGCTCCCAATATGCTCACTGACTTCTTCTGGGAGCAGAAGA
CCATATCATTTGTGGCTGTGCTGCTCAGTTTTTTTTCTTTGTGGCATGGGTCTGTCTGAGTGCCTCCT
CCTGACTGCTATGGCATACGACCGATATGCAGCCATCTCCAGCCCCTTCTTACCCCACTATCATGACC
CAGGGCCTCTGTACACGCATGGTGGTTGGGCATATGTTGGTGGCTTCTGAGCTCCCTGATCCAGGCCA
GCTCCATATTTAGGCTTCACTTTTGGGACCCAACATCATCAACCACTTCTTCTGCGACCTCCCACCACT
CCTGGCTCTGTCTTGCTCTGACACCTTCTCAGTCAAGTGGTGAATTTCTCGTGGTGGTCACTGTCCGA
GGAACATCGTTTCTCAACTCCTTATCTCCTATGGTTACATAGTGTCTGCGGTCTGAAGATCCCTTCA
CAGAGGGCCGATGAAAGCCTGCAACACGTGTGCCTCGCATCTGATGGTGGTCACTCTGCTGTTGGGAC
AGCCCTTTTCTGTACTTGGACCCAGCTCCAGCTACTTGCTAGGCAGGACAAGGTGGTGTCTGTTTTTC
TATTCATTGGTATCCCCATGCTGAACCTCTCATTTACAGTTTGAGGAACAAAGAGATCAAGGATGCC
TGTGGAAGGTGTTGAAAGGAAGAAAGTGTTTTCT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC215187 representing NM_001004728
Red=Cloning site Green=Tags(s)

MSITKAWNSSSVTMFILLGFTDHPQLALLFVTFLLGIYLTTLAWNLAIFLIRGDTHLHTPMYFFLSNLS
 FIDICYSSAVAPNMLTDFWEQKTI SFVGCQAQFFFVGMGLSECLLLTAMAYDRYAAISSPLLYPTIMT
 QGLCTRMVVGAYVGGFLSSLIQASSIFRLHFCGPNIINHFFCDLPPVLALSCSDTFLSQVVNFLVVTVG
 GTSFLQLLISYGYIVSAVLKIPSAEGRWKACNTCASHLMVVTLLFGTALFVYLRPSSSYLLGRDKVVSFV
 YSLVIPMLNPLIYSLRNKEIKDALWKVLERKKVFS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8002_f12.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001004728

ORF Size: 945 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

| | |
|-------------------------------|--|
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_001004728.1, NP_001004728.1</u> |
| RefSeq Size: | 948 bp |
| RefSeq ORF: | 948 bp |
| Locus ID: | 219982 |
| UniProt ID: | <u>Q8NGJ0</u> |
| Cytogenetics: | 11q12.1 |
| Protein Families: | Transmembrane |
| Protein Pathways: | Olfactory transduction |
| MW: | 35 kDa |
| Gene Summary: | Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008] |

Product images:



Circular map for RC215187



Western blot validation of overexpression lysate (Cat# [LY423911]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC215187 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).