

Product datasheet for RC215219L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Somatostatin Receptor 3 (SSTR3) (NM_001051) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Somatostatin Receptor 3 (SSTR3) (NM_001051) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Somatostatin Receptor 3

Synonyms: SS-3-R; SS3-R; SSR-28

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of thi

Sequence:

The ORF insert of this clone is exactly the same as(RC215219).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001051

ORF Size: 1254 bp



Somatostatin Receptor 3 (SSTR3) (NM_001051) Human Tagged Lenti ORF Clone - RC215219L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001051.2</u>

 RefSeq Size:
 2123 bp

 RefSeq ORF:
 1257 bp

 Locus ID:
 6753

 UniProt ID:
 P32745

Cytogenetics: 22q13.1

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction

MW: 45.7 kDa

Gene Summary: This gene encodes a member of the somatostatin receptor protein family. Somatostatins are


peptide hormones that regulate diverse cellular functions such as neurotransmission, cell proliferation, and endocrine signaling as well as inhibiting the release of many hormones and other secretory proteins. Somatostatin has two active forms of 14 and 28 amino acids. The

biological effects of somatostatins are mediated by a family of G-protein coupled somatostatin receptors that are expressed in a tissue-specific manner. Somatostatin receptors form homodimers and heterodimers with other members of the superfamily as well as with other G-protein coupled receptors and receptor tyrosine kinases. This protein is functionally coupled to adenylyl cyclase. Alternate splicing results in multiple transcript


variants. [provided by RefSeq, Jul 2013]



Product images:



Circular map for RC215219L3



Double digestion of RC215219L3 using Sgfl and Mlul