

Product datasheet for RC215258L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SAP97 (DLG1) (NM_004087) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: SAP97 (DLG1) (NM_004087) Human Tagged ORF Clone Lentiviral Particle

Symbol: SAP97

Synonyms: DLGH1; hdlg; SAP-97; SAP97

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 004087

ORF Size: 2778 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215258).

Sequence:

Cytogenetics:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 004087.1, NP 004078.2

 RefSeq Size:
 5034 bp

 RefSeq ORF:
 2781 bp

 Locus ID:
 1739

 UniProt ID:
 012959

Domains: SH3, PDZ, L27, Guanylate_kin, GuKc

3q29

Protein Families: Druggable Genome





SAP97 (DLG1) (NM_004087) Human Tagged ORF Clone Lentiviral Particle - RC215258L1V

Protein Pathways: T cell receptor signaling pathway

MW: 103.8 kDa

Gene Summary: This gene encodes a multi-domain scaffolding protein that is required for normal

development. This protein may have a role in septate junction formation, signal transduction, cell proliferation, synaptogenesis and lymphocyte activation. A multitude of transcript variants deriving from alternative splicing and the use of multiple alternate promoter have been observed, including some splice variants that may be specific to brain and other tissues.

An upstream uORF may regulate translation at some splice variants of this gene. [provided by

RefSeq, Sep 2018]